

MAXXIS

**2024
BICYCLE
CATALOG**

TREAD VICTORIOUSLY



MAXXIS




At Maxxis, we strive to provide the highest quality products and service with the goal of creating lifelong Maxxis customers.

From design to production, from the factory floor to your favorite road or trail, Maxxis products lead the way in technological advances. For bicycle, automotive, light truck, ATV, motorcycle, kart, trailer and lawn & garden, Maxxis provides the quality customers have come to depend on.

Total customer satisfaction has been Maxxis' guiding purpose since 1967. Working toward this goal has built Maxxis into the successful, worldwide company it is today. Champions around the world choose Maxxis because they know that our extensive product research, unique designs and rigorous testing standards produce tires that elevate riders to the next level.

For more information on the entire Maxxis product line, visit us at maxxis.com.



Maxxis makes every effort to ensure the accuracy of the information we publish. Maxxis is not responsible for errors or misprints in our materials. Specifications and item availability are subject to change without notice. Actual weights and measurements may vary from those published herein. Weights are listed in grams. ©2024 Maxxis International. All rights reserved.



CONTENTS

CONSTRUCTION	5
CONSTRUCTION DIAGRAMS	5
TIRE BEAD	6
WIRE BEAD	6
FOLDABLE BEAD	6
CARBON FIBER BEAD	6
CASING	6
SINGLE-PLY CASING	6
DUAL-PLY CASING	6
THREADS PER INCH (TPI)	6
WIDE TRAIL CONSTRUCTION	6
RECOMMENDED RIM	6
WIDTH TO TIRE SIZE	6
TUBELESS READY	6
TUBULAR	6
PROTECTION	7
SILKWORM	7
K2	7
ZK	7
SILKSHIELD	7
MAXXSHIELD	7
BUTYL INSERT	8
EXO	8
EXO+	8
DOUBLEDOWN	8
DOWNHILL	8
RUBBER COMPOUNDS	9
SINGLE COMPOUND	9
DUAL COMPOUND	9
SUPER TACKY	9
HYPR & HYPR-S	9
MAXXSPEED	9
TRIPLE COMPOUND (3C)	9
3C MAXXSPEED	9
3C MAXXTERRA	9
3C MAXXGRIP	9
SUSTAINABILITY	10
ROAD	11
RE-FUSE	12
PURSUER	12
HIGH ROAD	12
HIGH ROAD SL	12
GRAVEL	13
RECEPTOR	14
REAVER	14
RAMBLER	14
RAVAGER	14
COMMUTER/CARGO	15
METROPASS/METROPASS PRO	16
MAXXVENTURE	16
METROLOADS/METROLOADS PRO	16
DETONATOR	16
MOUNTAIN	17
ASPEN	18
REKON RACE	18

IKON	18
SEVERE	18
REKON	20
FOREKASTER	20
AGGRESSOR	21
DISSECTOR	21
MINION DHF	21
MINION DHR II	21
ASSEGAI	24
SHORTY	24
E-MTB	25
FOREKASTER	26
MINION DHF	26
MINION DHR II	26
ASSEGAI	26
BMX/TRIALS	27
DTH	27
GRIFTER	28
TORCH	28
HOLY ROLLER	28
HOOKWORM	28
TUBES	29
FLYWEIGHT	29
ULTRALIGHT	29
WELTERWEIGHT	29
FAT/PLUS	29
FREERIDE	29
DOWNHILL	29

TECH CHEAT SHEET	30
SPEC TABLES	31
TIRE SAFETY	53





BASIC TIRE CONSTRUCTION

TIRE BEAD

The bead keeps the tire in contact with the rim while the tire is inflated.

WIRE BEAD

A rigid metal wire is utilized as bead material in applications where ultimate strength is needed and transportability is not a factor.

FOLDABLE BEAD

Foldable (or folding) beads also keep the tire secured to the rim but are lighter weight and easily transported. The bead is made of spun aramid fibers.

CARBON FIBER BEAD

A folding bead made from a carbon fiber material with greater strength to withstand the forces exerted by a high-pressure road tire.

CASING

SINGLE-PLY CASING

One layer of nylon wrapped from bead to bead. A single-ply casing conforms well to the terrain and is lighter weight.


DUAL-PLY CASING

Two layers of casing material are used from bead to bead, providing additional protection and sidewall stiffness for enduro and downhill applications.

THREADS PER INCH (TPI)

The number of threads that cross through one square inch of a single ply of the tire's casing. A casing with a lower TPI number gives better puncture, cut and abrasion resistance but is heavier. A casing with a higher TPI number conforms better to the terrain, offering a smoother, more comfortable ride while reducing the weight of the tire. Maxxis uses 27, 60, 120 or 170 TPI casings depending on the application.

Maxxis TPI ratings are the threads per inch of a single layer of casing as compared to some competitor TPI ratings.



WIDE TRAIL CONSTRUCTION

WIDE TRAIL CONSTRUCTION

Wide Trail (WT) construction optimizes the tire's tread layout and profile to match today's modern, wider rims. Maxxis offers WT tires for everything from XC to gravity applications. A 30mm internal width rim is ideal for most applications, but WT tires can be used on rims ranging from 19mm to 35mm internal.

RECOMMENDED RIM WIDTH TO TIRE SIZE

Pairing your preferred tire width with the appropriate rim width will allow for optimal performance. To assist in this process, Maxxis has added recommended minimum and maximum rim widths for a given tire size. This information is available in the spec tables in the back of the catalog.

INTENDED USE	TIRE WIDTH	INNER RIM WIDTH
XC RACING	2.00"-2.20" tire	20-25mm
LIGHT TRAIL	2.20"-2.40"	25-30mm
AM/ENDURO	2.30"-2.50" 2.60"	28-35mm 35-40mm
PLUS	2.80"-3.00"	40-45mm
FAT	3.80"-4.00" 4.80"	70-80mm 90-100mm

TUBELESS READY

Tubeless tires provide the rider with many benefits: the ability to run lower air pressures, which improves traction; lower rolling resistance when compared to a tube-type tire; and less chance of flatting because there is no tube. Liquid sealants should only be used in the following types of tires: tubeless road, tubular and tubeless-ready. The use of liquid sealants in any other Maxxis tire is not recommended and will void the warranty.

TUBULAR

A traditional tire construction in which the tire casing is sewn or wrapped around an inner tube. These types of tires must be glued or taped onto tubular-specific rims.

PROTECTION

Casings are supplemented with additional puncture protection layers to suit specific riding disciplines. Material can be added around the bead, in the sidewall, beneath the tread, extended from bead to bead or some combination thereof.

**SILKWORM**


An under-tread puncture protection layer suitable for everyday use.

**K2**


A lightweight and supple under-tread puncture protection layer suitable for high performance applications.

**SILKSHIELD**

A version of our SilkWorm material that extends from bead to bead.

**MAXXSHIELD**


A combination of SilkShield bead to bead and K2 under-tread puncture protections which creates an extremely durable tire.

**ZK**

Our lightest and most supple under-tread puncture protection layer recommended for racing applications.

**EXO**


A cut and abrasion-resistant material added to the sidewalls of many of our gravel and MTB tires. Suitable for use in a wide range of riding applications from gravel to XC to light trail duty.

**EXO+**


EXO+ builds on our EXO technology with the addition of a small butyl insert around the bead. EXO+ is ideal for trail riding in moderately rocky and rooty terrain, and is also suitable for lighter weight e-bikes.

**DOUBLEDOWN**

DoubleDown (DD) is Maxxis' solution for enduro racing. Two 120 TPI casing layers reinforced with a butyl insert provide the enduro racer with the support and protection of a downhill tire, but in a more compliant package. DoubleDown specs are a great choice for most e-mountain bikes.

**DOWNSHILL**

Maxxis' Downhill (DH) casing consists of two layers of 60 TPI casing combined with a large butyl insert, resulting in the most durable construction on offer. Choose the DH casing for gravity riding applications (downhill racing, bike park riding, freeride, etc.) where maximum durability and support are required.



RUBBER COMPOUNDS

Above all, Maxxis is known for the quality and performance of its rubber compounds. Rubber compounds are tailored to meet the needs of specific riding disciplines or conditions. Maxxis can produce tires with one, two or three individual rubber compounds depending on the intended application.

SINGLE COMPOUND

One rubber compound is used throughout the tread of the tire.

DUAL COMPOUND

Two distinct rubber compounds are used within the tread to offer a balance between rolling resistance and grip.

**TRIPLE COMPOUND (3C)**

Maxxis' 3C tires use a firm base rubber to reduce rolling resistance and progressively softer rubber on outer layers to optimize traction.

**3C MAXXSPEED**

A fast-rolling formulation of our triple compound, best for XC racing applications.

3C MAXXTERRA

An intermediate triple compound suitable for all-around trail riding.

**3C MAXXGRIP****SUPER TACKY**

Maxxis' slow-rebounding, high-traction compound for slippery downhill race conditions.

HYPR & HYPR-S

Maxxis' full-silica, low rolling resistance compounds developed specifically for road bike racing.

**MAXXSPEED**

The new MaxxSpeed (2023) is our top-shelf rubber compound for XC racing. It's a high-silica content compound which reduces rolling resistance while also enhancing wet traction.



RECYCLE RETHINK

THE MAXXIS ECO COMMITMENT

As a responsible corporate citizen, Maxxis works to fulfill its obligation to protect our environment and sustain and nurture Earth's natural resources. Throughout the R&D, testing, manufacturing and distribution of its products, Maxxis uses processes that avoid harm and reduce waste to the greatest extent possible.

Seawastex

Seawastex, an innovative initiative focused on sustainability, has garnered attention for its transformative approach to recycling fishing nets. In a groundbreaking partnership, Maxxis Tires has joined forces with Seawastex to incorporate recycled fishing nets into the production of bicycle tires. This collaboration not only underscores the commitment to environmental responsibility but also showcases the potential of repurposing marine waste for creating high-quality products.

Maxxis' use of Seawastex exemplifies the company's commitment to sustainability. As opposed to traditional materials, production of Seawastex results in a 49% reduction in carbon emissions and a savings of 15% in energy consumption. This cord, comprised of discarded fishing net salvaged from the world's oceans, will soon be used in all Maxxis 60 TPI and 60 TPI + EXO bicycle tires.



SEAWASTEX

Sustainable Rubber

Because the tire industry uses more natural rubber than any other industry in the world, the conservation, responsible use and disposal of this resource is central to Maxxis' sustainability efforts. Maxxis has been a member of GPSNR (Global Platform for Sustainable Natural Rubber) since 2021. This organization, made up of companies, smallholders, academia and civil society, works to make the natural rubber supply chain sustainable, equitable and fair.

ROAD

RE-FUSE

NEW TREAD

INTENDED USE: ENDURANCE TRAINING ALL-AROUND RACE

Durable doesn't have to be slow! The new Re-Fuse (2023) features a revised tread pattern, a new compound, and updated puncture protection to create a faster, lighter, and even more durable tire.

- M227
- Slick center with micro knobs for cornering control
- Full-silica, all-season rubber compound

PURSUER

NEW SPECS

INTENDED USE: ENDURANCE TRAINING ALL-AROUND RACE

The Pursuer is a sport-level clincher, perfect for riders who want solid performance and durability without breaking the bank.

- M225
- Sport-level tire
- High-mileage rubber compound

HIGH ROAD

INTENDED USE: ENDURANCE TRAINING ALL-AROUND RACE

Maxxis' all-purpose road race tire, the High Road was recently refreshed with a new lighter weight casing, upgraded puncture protection and a revised tread pattern.

- M218
- Pro-level competition tire
- Low rolling resistance HYPR rubber compound

HIGH ROAD SL

NEW SPECS

INTENDED USE: ENDURANCE TRAINING ALL-AROUND RACE

The Maxxis High Road SL is our lightest and fastest road racing tire, ever. Our HYPR-S compound offers even lower rolling resistance compared to the standard High Road.

- M226
- Race use only
- Our lightest and fastest road tire

ROAD PRODUCTS FEATURED MAY NOT BE AVAILABLE IN ALL MARKETS // MAXXIS.COM

12

ROAD



GRAVEL

RECEPTOR



HARPACK LOOSE/HARD MEDIUM LOOSE WET MUD

The Maxxis Receptor is a semi-slick gravel tire designed for riding on pavement, hard-packed dirt roads and light gravel.

- M2027
- Semi-slick gravel tire
- 80% on-road / 20% off-road

REAVER



HARPACK LOOSE/HARD MEDIUM LOOSE WET MUD

The Maxxis Reaver is our "go to" tire for gravel racing. Its diamond knurling center tread is low and fast but meaty side knobs provide consistent cornering traction. Choose the Reaver when off-road speed is priority number one.

- M2031
- Gravel racing tire
- 50% on-road / 50% off-road

RAMBLER



HARPACK LOOSE/HARD MEDIUM LOOSE WET MUD

With tightly-packed center knobs and ample side knobs, the Maxxis Rambler is our do-it-all gravel tire suitable for a wide range of riding and racing applications.

- M2018
- Do-it-all gravel tire
- 40% on-road / 60% off-road

RAVAGER



HARPACK LOOSE/HARD MEDIUM LOOSE WET MUD

When road conditions are unknown, choose the Maxxis Ravager. Large side knobs provide extra traction in deep, loose gravel and mud.

- M2020
- Aggressive tread for loose, chunky gravel
- 20% on-road / 80% off-road



COMMUTER/ CARGO

METROPASS/METROPASS PRO



COMMUTER

The Maxxis Metropass and Metropass Pro are designed for bicycle commuters in urban areas who demand a durable and reliable tire. Features include our 4-Season rubber compound, reflective sidewall stripe, and extra thick Rubber Inside tread extrusion for trouble-free commuting year-round.

- M2028
- Metropass Pro uses a dual-ply casing for maximum durability
- E50 e-bike certification

METROLOADS/METROLOADS PRO



CARGO

The Metroloads family of tires is Maxxis' solution for cargo bike use. A heavy duty casing, extra thick Rubber Inside tread extrusion, 4-Season rubber compound, and reflective sidewall stripe ensure safe transport of heavy loads year-round.

- M2029
- Metroloads Pro uses a dual-ply casing and High Mileage rubber compound
- E50 e-bike certification

MAXXVENTURE



E-MOPED

New to the Maxxis line for 2024 is the Maxxventure designed for e-mopeds using the 20" fat tire standard. The grooved slick design is intended primarily for street use but is able to handle the occasional unpaved detour.

- M156
- Adventure motorcycle inspired tread design
- E50 e-bike certification

DETONATOR



COMMUTER

The Detonator is reborn as a speedy option for bike commuters. A smooth center tread transitions to diamond knurling shoulders for traction in all weather and a reflective sidewall stripe aids nighttime visibility.

- M2032
- Speedy commuter tire
- E25 e-bike certification

MOUNTAIN



ASPEN

NEW SPECS

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD
----------	------------	--------	-------	-----	-----

The Aspen's combination of low rolling resistance and predictable cornering make it the go-to option for Maxxis' pro XC athletes on race day.

- M316
- Low-profile XC race tire
- Our most popular XC race option

IKON

NEW SPECS

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD
----------	------------	--------	-------	-----	-----

The Maxxis Ikon is a versatile XC tire designed to perform in a broad range of trail conditions. With predictable handling, the Ikon is also a favorite of our slopestyle athletes.

- M319
- A highly versatile XC tread
- Suitable for dry to intermediate conditions

REKON RACE

NEW SPECS

HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD
----------	------------	--------	-------	-----	-----

Featuring the lowest tread height in the Maxxis XC line, the Rekon Race sports a semi-slick tread design perfect for riding and racing in primarily dry conditions.

- M355
- Semi-slick XC race tire
- Recommended for primarily dry XC terrain

SEVERE

NEW TREAD


HARDPACK	LOOSE/HARD	MEDIUM	LOOSE	WET	MUD
----------	------------	--------	-------	-----	-----

The Maxxis Severe is designed for XC racing in wet, muddy conditions. To prevent mud collection, the tread pattern uses small, spiky knobs spaced widely apart.

- M360
- Low-volume casing, open tread design
- Designed for wet/muddy XC conditions



MOUNTAIN



REKON

HARDPACK LOOSE/HARD MEDIUM LOOSE WET MUD

For general purpose trail riding, it's hard to top the Rekon. The Rekon finds the "Goldilocks" blend of rolling speed, braking traction and cornering control.

- M349
- Light-duty trail tire
- Well-balanced performance across trail conditions



FOREKASTER

HARDPACK LOOSE/HARD MEDIUM LOOSE WET MUD

Redesigned from the ground up in 2022, the Forekaster is tailor-made for mid-travel (120mm-140mm) trail bikes. Slotted in between our XC and gravity treads, the Forekaster is light, fast and grippy.

- M362
- Optimal for modern, mid-travel trail bikes
- Excels in trail conditions from dry to soft and loose




MOUNTAIN




The Maxxis Aggressor is designed for high-speed, hard-packed rocky trails. It works especially well as a rear tire paired with a Minion DHF or Assegai in the front.

- M343
- Primarily intended for rear wheel use
- A favorite of riders in dry, rocky terrain




With a tread design that deftly balances rolling speed with braking and cornering traction, it's no wonder that the Minion DHF is one of the most imitated tires in mountain biking.

- M301
- The gold standard of gravity focused treads
- Intended for front wheel use



Designed by DH racer Troy Brosnan, the Dissector minimizes drag while retaining cornering control. This versatile tire can be used front or rear or as a pair depending on conditions.

- M357
- Troy Brosnan's signature model
- Excellent penetration in loose conditions



With side knobs borrowed from the legendary Minion DHF, but widened to provide more support, the Minion DHR II offers excellent cornering and braking traction.

- M327
- Excellent braking and cornering traction in steep terrain
- Intended for rear wheel use



**ASSEGAI****HARPACK LOOSE/HARD MEDIUM LOOSE WET MUD**

Greg Minnaar's signature tire – the Maxxis Assegai – provides tenacious, predictable grip across the entire profile no matter the lean angle.

- M356
- Supreme braking and cornering traction
- A top choice for all gravity applications

SHORTY**HARPACK LOOSE/HARD MEDIUM LOOSE WET MUD**

The Maxxis Shorty uses a versatile mid-spike tread pattern designed to sink into soft or loose soil to find traction.

- M359
- Mid-spike for deep dust or wet trail conditions
- A great shoulder season option





E-MTB

FOREKASTER



HARDPACK LOOSE/HARD MEDIUM LOOSE WET MUD

Redesigned from the ground up in 2022, the Forekaster is tailor-made for mid-travel (120mm-140mm) trail bikes. Slotted in between our XC and gravity treads, the Forekaster is light, fast and grippy.

- M362
- Optimal for mid-travel trail e-bikes
- E50 rated EXO+ casing



MINION DHF



HARDPACK LOOSE/HARD MEDIUM LOOSE WET MUD

With a tread design that deftly balances rolling speed with braking and cornering traction, it's no wonder that the Minion DHF is one of the most imitated tires in mountain biking.

- M301
- Optimal for long-travel enduro e-bikes
- E50 rated Downhill casing



MINION DHR II



HARDPACK LOOSE/HARD MEDIUM LOOSE WET MUD

With side knobs borrowed from the legendary Minion DHF, but widened to provide more support, the Minion DHR II offers excellent cornering and braking traction.

- M327
- Optimal for long-travel enduro e-bikes
- E50 rated Downhill casing



ASSEGAI



HARDPACK LOOSE/HARD MEDIUM LOOSE WET MUD

Greg Minnaar's signature tire – the Maxxis Assegai – provides tenacious, predictable grip across the entire profile no matter the lean angle.

- M356
- Optimal for long-travel enduro e-bikes
- E50 rated Downhill casing



BMX/TRIALS



DTH



The grooved slick design of the Maxxis DTH (Drop the Hammer) is suited to a variety of BMX, dirt jumping and pump track situations.

- M147
- Grooved slick for BMX and dirt jumping
- 20", 24", and 26" sizes available

GRIFTER



The Maxxis Grifter is a lightweight, high-volume casing BMX tire designed for freestyle riding.

- M148
- Freestyle BMX tire
- 20" and 29" sizes available

TORCH



Light up the track and your competition with the Torch. The Maxxis Torch is designed specifically for racing on today's paved BMX tracks.

- M149
- Lightweight construction for BMX racing
- 20", 24", and 29" sizes available

HOLY ROLLER



Featuring an inverted tread design, the Maxxis Holy Roller is ready for the dirt jumps, the skatepark or anything in between.

- M126
- Dirt to pavement versatility
- 20", 24", and 26" sizes available

HOOKWORM



A unique wraparound tread pattern and sturdy construction allow the Maxxis Hookworm to stand up to the abuse of urban environments.

- M121
- Ultra-durable BMX tire
- 20", 24", 26", 27.5", and 29" sizes available

TUBES



TECH CHEAT SHEET

ROAD TECH

NAME	DEFINITION
HYPR	Full silica road racing compound.
HYPR-S	Lowest rolling resistance road racing compound.
K2	Under tread puncture protection.
MaxxShield	Bead-to-bead plus under tread puncture protection.
ONE70	Lightweight 170 TPI casing.
TR	Tubeless ready casing.
ZK	Lightweight under tread puncture protection.

GRAVEL TECH

NAME	DEFINITION
EXO	Sidewall puncture protection.
SilkShield	Bead-to-bead puncture protection.
TR	Tubeless ready casing.

COMMUTER/CARGO TECH

NAME	DEFINITION
4 Season	All-weather, all-season rubber compound.
4 Season/ High Mileage	Extra durable all-season rubber compound.
EXO	Sidewall puncture protection.
REF	Reflective sidewall stripe.
RI	Rubber Inside: extra 3mm layer of rubber for puncture protection.

MOUNTAIN/E-MTB/FAT/PLUS/DOWNHILL TECH

NAME	DEFINITION
MS	MaxxSpeed rubber compound for XC use, updated in 2023.
3CS	Triple rubber compound MaxxSpeed for XC use.
3CT	Triple rubber compound MaxxTerra for general trail use.
3CG	Triple rubber compound MaxxGrip for enduro/downhill use.
ST	Slow rebounding Super Tacky rubber compound.
EXO	Sidewall puncture protection.
EXO+	Middleweight casing with sidewall protection plus a small butyl insert.
DD	DoubleDown casing for enduro use.
DH	Downhill casing.
BikePark	Downhill casing with long tread wear rubber compound.
REF	Reflective sidewall stripe.
SilkShield	Bead-to-bead puncture protection.
TR	Tubeless ready casing.
E25	Suitable for light duty e-bike use.
E50	Suitable for heavy duty e-bike use.

BMX/TRIALS TECH

NAME	DEFINITION
EXO	Sidewall puncture protection.
Silkworm	Under tread puncture protection.
ST	Slow rebounding Super Tacky rubber compound.

ROAD													
	TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH
NEW	RE-FUSE	M227	ETB00465900	700X25C	25-622	13-22	60	FOLDABLE	281	SINGLE	120	BLACK	MAXXSHIELD
	RE-FUSE	M227	ETB00466500	700X28C	28-622	15-23	60	FOLDABLE	301	SINGLE	115	BLACK	MAXXSHIELD
	RE-FUSE	M227	ETB00466600	700X32C	32-622	16-25	60	FOLDABLE	355	SINGLE	100	BLACK	MAXXSHIELD
	RE-FUSE	M200RU	ETB88896000	700X32C	32-622	16-25	60	CARBON	419	SINGLE	75	BLACK	MAXX-SHIELD/TR
	RE-FUSE	M200RU	ETB00334700	700X32C	32-622	16-25	60	CARBON	397	SINGLE	75	TANWALL	MAXX-SHIELD/TR
	PURSUER	M225N	ETB00549700	700X23C	23-622	13-20	60	FOLDABLE	248	SINGLE	130	BLACK	
	PURSUER	M225N	ETB00550000	700X25C	25-622	13-22	60	WIRE	318	SINGLE	120	BLACK	
	PURSUER	M225N	ETB00550100	700X25C	25-622	13-22	60	FOLDABLE	262	SINGLE	120	BLACK	
	PURSUER	M225N	ETB00549800	700X25C	25-622	13-22	60	FOLDABLE	294	SINGLE	120	TANWALL	
	PURSUER	M225N	ETB00550200	700X28C	28-622	15-23	60	WIRE	352	SINGLE	115	BLACK	
NEW	PURSUER	M225N	ETB00549900	700X28C	28-622	15-23	60	FOLDABLE	280	SINGLE	115	BLACK	
	PURSUER	M225N	ETB00521900	700X28C	28-622	15-23	60	FOLDABLE	304	SINGLE	115	TANWALL	
	PURSUER	M225P	ETB00262000	700X32C	32-622	16-25	60	FOLDABLE	369	SINGLE	100	BLACK	
	HIGH ROAD	M228	ETB00338500	700X25C	25-622	13-22	170	FOLDABLE	198	SINGLE	120	BLACK	HYPR/ZK/ONE70
	HIGH ROAD	M228	ETB00440200	700X25C	25-622	13-22	170	FOLDABLE	228	SINGLE	120	TANWALL	HYPR/ZK/ONE70
	HIGH ROAD	M228RU	ETB00329500	700X25C	25-622	13-22	170	CARBON	296	SINGLE	110	BLACK	HYPR/K2/ONE70/TR
	HIGH ROAD	M228RU	ETB00415800	700X25C	25-622	13-22	170	CARBON	322	SINGLE	110	TANWALL	HYPR/K2/ONE70/TR
	HIGH ROAD	M228	ETB00349300	700X28C	28-622	15-23	170	FOLDABLE	213	SINGLE	115	BLACK	HYPR/ZK/ONE70
	HIGH ROAD	M228	ETB00464500	700X28C	28-622	15-23	170	FOLDABLE	245	SINGLE	115	TANWALL	HYPR/ZK/ONE70
	HIGH ROAD	M228RU	ETB00349400	700X28C	28-622	15-23	170	CARBON	322	SINGLE	95	BLACK	HYPR/K2/ONE70/TR
NEW	HIGH ROAD	M228RU	ETB00464600	700X28C	28-622	15-23	170	CARBON	350	SINGLE	95	TANWALL	HYPR/K2/ONE70/TR
	HIGH ROAD	M228	ETB00431700	700X32C	32-622	16-25	170	FOLDABLE	237	SINGLE	100	BLACK	HYPR/ZK/ONE70
ROAD													
	TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH
NEW	HIGH ROAD	M228RU	ETB00439500	700X32C	32-622	16-25	170	CARBON	364	SINGLE	75	BLACK	HYPR/K2/ONE70/TR
	HIGH ROAD SL	M226	ETB00335300	28X25	-	-	170	-	280	SINGLE	170	BLACK	HYPR/ZK/ONE70
	HIGH ROAD SL	M226	ETB00263700	700X23C	23-622	13-20	170	FOLDABLE	168	SINGLE	130	BLACK	HYPR-S/K2/ONE70
	HIGH ROAD SL	M226	ETB00268800	700X25C	25-622	13-22	170	FOLDABLE	174	SINGLE	120	BLACK	HYPR-S/K2/ONE70
	HIGH ROAD SL	M226RU	ETB00340100	700X25C	25-622	13-22	170	CARBON	271	SINGLE	110	BLACK	HYPR-S/K2/ONE70/TR
	HIGH ROAD SL	M226	ETB00343500	700X28C	28-622	15-23	170	FOLDABLE	180	SINGLE	120	BLACK	HYPR-S/K2/ONE70
	HIGH ROAD SL	M226RU	ETB00502400	700X28C	28-622	15-23	170	CARBON	310	SINGLE	95	BLACK	HYPR-S/K2/ONE70/TR
	GRAVEL												
	TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH
NEW	ALL TERRANE	M219RU	ETB88994100	700X33C	33-622	16-25	120	CARBON	388	DUAL	75	BLACK	EXO/TR
	RECEPTOR	M2027RU	ETB00300400	650X47B	47-584	17-30	120	FOLDABLE	506	DUAL	60	BLACK	EXO/TR
	RECEPTOR	M2027RU	ETB00352400	650X47B	47-584	17-30	120	FOLDABLE	490	DUAL	60	TANWALL	EXO/TR
	RECEPTOR	M2027P	ETB00448900	700X40C	40-622	17-27	60	WIRE	512	DUAL	74	BLACK	EXO
	RECEPTOR	M2027RU	ETB00325300	700X40C	40-622	17-27	120	FOLDABLE	441	DUAL	60	BLACK	EXO/TR
	RECEPTOR	M2027RU	ETB00352300	700X40C	40-622	17-27	120	FOLDABLE	429	DUAL	60	TANWALL	EXO/TR
	REAPER	M2031RU	ETB00485500	700X40C	40-622	17-27	120	FOLDABLE	437	DUAL	60	BLACK	EXO/TR
	REAPER	M2031RU	ETB00489800	700X40C	40-622	17-27	120	FOLDABLE	431	DUAL	60	TANWALL	EXO/TR
	REAPER	M2031RU	ETB00502500	700X45C	45-622	17-27	120	FOLDABLE	506	DUAL	60	BLACK	EXO/TR
	REAPER	M2031RU	ETB00502600	700X45C	45-622	17-27	120	FOLDABLE	490	DUAL	60	TANWALL	EXO/TR
NEW	RAMBLER	M2018P	ETB00435400	650X47B	47-584	17-30	60	WIRE	658	DUAL	75	BLACK	EXO
	RAMBLER	M2018RU	ETB00172100	650X47B	47-584	17-30	60	FOLDABLE	614	DUAL	60	BLACK	SILKSHIELD/TR
	RAMBLER	M2018RU	ETB00386100	650X47B	47-584	17-30	60	FOLDABLE	570	DUAL	60	TANWALL	EXO/TR

SPECIFICATIONS													
GRAVEL													
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	
RAMBLER	M2018RU	ETB00172000	650X47B	47-584	17-30	120	FOLDABLE	554	DUAL	60	BLACK	EXO/TR	
RAMBLER	M2018RU	ETB00200800	700X38C	38-622	17-27	60	FOLDABLE	473	DUAL	60	BLACK	SILKSHIELD/TR	
RAMBLER	M2018RU	ETB00333800	700X38C	38-622	17-27	60	FOLDABLE	439	DUAL	60	TANWALL	EXO/TR	
RAMBLER	M2018RU	ETB00200700	700X38C	38-622	17-27	120	FOLDABLE	421	DUAL	60	BLACK	EXO/TR	
RAMBLER	M2018P	ETB00435200	700X40C	40-622	17-27	60	WIRE	556	DUAL	75	BLACK	EXO	
RAMBLER	M2018RU	ETB00200500	700X40C	40-622	17-27	60	FOLDABLE	525	DUAL	60	BLACK	SILKSHIELD/TR	
RAMBLER	M2018RU	ETB00329600	700X40C	40-622	17-27	60	FOLDABLE	497	DUAL	60	TANWALL	EXO/TR	
RAMBLER	M2018RU	ETB00195800	700X40C	40-622	17-27	120	FOLDABLE	480	DUAL	60	BLACK	EXO/TR	
RAMBLER	M2018P	ETB00435300	700X45C	45-622	17-27	60	WIRE	645	DUAL	75	BLACK	EXO	
RAMBLER	M2018P	ETB00469300	700X45C	45-622	17-27	60	WIRE	620	SINGLE	75	TANWALL	EXO	
RAMBLER	M2018RU	ETB00143100	700X45C	45-622	17-27	60	FOLDABLE	606	DUAL	60	BLACK	SILKSHIELD/TR	
RAMBLER	M2018RU	ETB00417500	700X45C	45-622	17-27	60	FOLDABLE	569	DUAL	60	TANWALL	EXO/TR	
RAMBLER	M2018RU	ETB00143200	700X45C	45-622	17-27	120	FOLDABLE	550	DUAL	60	BLACK	EXO/TR	
RAMBLER	M2018RU	ETB00172700	700X50C	50-622	17-30	60	FOLDABLE	724	DUAL	60	BLACK	SILKSHIELD/TR	
RAMBLER	M2018RU	ETB00417600	700X50C	50-622	17-30	60	FOLDABLE	679	DUAL	50	TANWALL	EXO/TR	
RAMBLER	M2018RU	ETB00172600	700X50C	50-622	17-30	120	FOLDABLE	654	DUAL	60	BLACK	EXO/TR	
RAVAGER	M2020RU	ETB00201400	700X40C	40-622	17-27	60	FOLDABLE	555	DUAL	60	BLACK	SILKSHIELD/TR	
RAVAGER	M2020RU	ETB00457800	700X40C	40-622	17-27	60	FOLDABLE	529	DUAL	60	TANWALL	EXO/TR	
RAVAGER	M2020RU	ETB00201300	700X40C	40-622	17-27	120	FOLDABLE	503	DUAL	60	BLACK	EXO/TR	
RAVAGER	M2020RU	ETB00494700	700X45C	45-622	17-27	60	FOLDABLE	618	DUAL	60	BLACK	SILKSHIELD/TR	
RAVAGER	M2020RU	ETB00494500	700X45C	45-622	17-27	120	FOLDABLE	568	DUAL	60	BLACK	EXO/TR	
RAVAGER	M2020RU	ETB00450400	700X50C	50-622	17-30	60	FOLDABLE	686	DUAL	60	BLACK	EXO/TR	
RAVAGER	M2020RU	ETB00457900	700X50C	50-622	17-30	60	FOLDABLE	665	DUAL	60	TANWALL	EXO/TR	
COMMUTER/CARGO													
METROPASS	M2028EP	ETB00469400	27.5X2.00	49-584	17-30	60	WIRE	851	4 SEASON	65	BLACK	RI/REF	E50
METROPASS	M2028EP	ETB00479900	27.5X2.40	61-584	21-35	60	WIRE	1107	4 SEASON	65	BLACK	EXO/RI/REF	E50
METROPASS	M2028EP	ETB00449900	28X2.00	49-622	17-30	60	WIRE	906	4 SEASON	65	BLACK	RI/REF	E50
METROPASS	M2028E	ETB00490900	28X2.20	55-622	17-30	60	WIRE	1097	4 SEASON	65	BLACK	EXO/RI/REF	E50
METROPASS	M2028E	ETB00490300	28X2.40	61-622	21-35	60	WIRE	1160	4 SEASON	65	BLACK	EXO/RI/REF	E50
METROPASS	M2028E	ETB00490600	700X40C	40-622	17-27	60	WIRE	744	4 SEASON	75	BLACK	RI/REF	E50
METROPASS	M2028E	ETB00490700	700X45C	45-622	17-27	60	WIRE	603	4 SEASON	75	BLACK	RI/REF	E50
METROPASS PRO	M2028EP	ETB00469500	27.5X2.00	49-584	17-27	60x2	WIRE	1048	4 SEASON	65	BLACK	RI/REF	E50
METROPASS PRO	M2028EP	ETB00393800	28X2.00	49-622	17-27	60x2	WIRE	1118	4 SEASON	65	BLACK	RI/REF	E50
METROPASS PRO	M2028E	ETB00490800	28X2.20	55-622	17-27	60x2	WIRE	1244	4 SEASON	65	BLACK	RI/REF	E50
METROPASS PRO	M2028EP	ETB00490200	28X2.40	61-622	21-35	60x2	WIRE	1406	4 SEASON	65	BLACK	RI/REF	E50
MAXX-VENTURE	M-156e	ETB00536000	20x4.0	100-406	59-89	27	WIRE	1518	SINGLE	30	BLACK		E50
METROLOADS	M2029eP	ETB00419600	20X2.15	55-406	17-30	60	WIRE	818	4 SEASON	65	BLACK	RI/REF	E50
METROLOADS	M2029eP	ETB00419400	26X2.15	55-559	17-30	60	WIRE	1106	4 SEASON	65	BLACK	RI/REF	E50
METROLOADS PRO	M2029eP	ETB00424800	20X2.15	55-406	17-30	60X2	WIRE	1054	4 SEASON/HIGH MILEAGE	65	BLACK	RI/REF	E50
METROLOADS PRO	M2029eP	ETB00490500	20X2.40	61-406	21-35	60X2	WIRE	1131	4 SEASON/HIGH MILEAGE	65	BLACK	RI/REF	E50
METROLOADS PRO	M2029eP	ETB00527500	24x2.40	61-507	21-35	60X2	WIRE	1390	4 SEASON/HIGH MILEAGE	65	BLACK	RI/REF	E50
METROLOADS PRO	M2029eP	ETB00424700	26X2.15	55-559	17-30	60X2	WIRE	1421	4 SEASON/HIGH MILEAGE	65	BLACK	RI/REF	E50
METROLOADS PRO	M2029eP	ETB00490400	26X2.40	61-559	21-35	60X2	WIRE	1526	4 SEASON/HIGH MILEAGE	65	BLACK	RI/REF	E50
METROLOADS PRO	M2029eP	ETB00527400	27.5x2.15	55-584	17-30	60X2	WIRE	1426	4 SEASON/HIGH MILEAGE	65	BLACK	RI/REF	E50
METROLOADS PRO	M2029eP	ETB00527600	27.5x2.40	61-584	21-35	60X2	WIRE	1593	4 SEASON/HIGH MILEAGE	65	BLACK	RI/REF	E50
DETONATOR	M2032	ETB00530300	700X35C	35-622	17-27	60	Wire	477	SINGLE	75	BLACK	REF	E25

SPECIFICATIONS	MOUNTAIN														
	TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
NEW	ASPEN	M316RU	ETB00464900	27.5x2.25	57-584	17-30	120	FOLDABLE	652	MAXXSPEED	60	BLACK	MS/EXO/TR	E25	
	ASPEN	M316P	ETB96689500	29X2.10	52-622	17-30	60	FOLDABLE	628	DUAL	65	BLACK		E25	
	ASPEN	M316RU	ETB96653100	29X2.10	52-622	17-30	120	FOLDABLE	652	DUAL	60	BLACK	EXO/TR	E25	
	ASPEN	M316RU	ETB96895500	29X2.25	57-622	17-30	120	FOLDABLE	695	DUAL	60	BLACK	EXO/TR	E25	
	ASPEN	M316RU	ETB00464800	29X2.25	57-584	17-30	120	FOLDABLE	714	MAXXSPEED	60	BLACK	MS/EXO/TR	E25	
	ASPEN	M316RU	ETB00211500	29X2.40	61-622	21-35	120	FOLDABLE	756	DUAL	50	BLACK	EXO/TR	E25	
	ASPEN	M316RU	ETB00464700	29X2.40	61-622	21-35	120	FOLDABLE	768	MAXXSPEED	25	BLACK	MS/EXO/TR	E25	
	REKON RACE	M355RU	ETB00267300	27.5X2.00	50-584	17-30	120	FOLDABLE	631	DUAL	60	BLACK	EXO/TR	E25	
	REKON RACE	M355P	ETB00326900	27.5X2.25	57-584	17-30	60	WIRE	724	DUAL	65	BLACK		E25	
	REKON RACE	M355P	ETB00329200	27.5X2.25	57-584	17-30	60	WIRE	776	DUAL	65	BLACK	EXO	E25	
	REKON RACE	M355P	ETB00415200	27.5X2.25	57-584	17-30	60	WIRE	774	SINGLE	65	TANWALL	EXO	E25	
	REKON RACE	M355RU	ETB00244600	27.5X2.25	57-584	17-30	120	FOLDABLE	687	DUAL	60	BLACK	EXO/TR	E25	
	REKON RACE	M355RU	ETB00465200	27.5X2.25	57-584	17-30	120	FOLDABLE	680	MAXXSPEED	60	BLACK	MS/EXO/TR	E25	
	REKON RACE	M355RU	ETB00230500	27.5X2.35	60-584	21-35	120	FOLDABLE	744	DUAL	60	BLACK	EXO/TR	E25	
	REKON RACE	M355P	ETB00338300	29X2.25	57-622	17-30	60	WIRE	771	DUAL	65	BLACK		E25	
	REKON RACE	M355P	ETB00415100	29X2.25	57-622	17-30	60	WIRE	827	SINGLE	65	TANWALL	EXO	E25	
	REKON RACE	M355P	ETB00329300	29X2.25	57-622	17-30	60	WIRE	827	DUAL	65	BLACK	EXO	E25	
	REKON RACE	M355RU	ETB00046300	29X2.25	57-622	17-30	120	FOLDABLE	737	DUAL	60	BLACK	EXO/TR	E25	
	REKON RACE	M355RU	ETB00229000	29X2.25	57-622	17-30	60	FOLDABLE	759	SINGLE	60	TANWALL	EXO/TR	E25	
	REKON RACE	M355RU	ETB00465100	29X2.25	57-622	17-30	120	FOLDABLE	729	MAXXSPEED	60	BLACK	MS/EXO/TR	E25	
	REKON RACE	M355RU	ETB00139700	29X2.35	60-622	21-35	60	FOLDABLE	847	DUAL	60	BLACK	EXO/TR	E25	
	REKON RACE	M355RU	ETB00219800	29X2.35	60-622	21-35	60	FOLDABLE	837	SINGLE	60	TANWALL	EXO/TR	E25	
	REKON RACE	M355RU	ETB00139800	29X2.35	60-622	21-35	120	FOLDABLE	801	DUAL	60	BLACK	EXO/TR	E25	
	REKON RACE	M355P	ETB00466000	29X2.40	59/61-622	21-35	60	WIRE	944	DUAL	65	BLACK	EXO	E25	
NEW	REKON RACE	M355P	ETB00449100	29X2.40	59/61-622	21-35	60	WIRE	899	SINGLE	65	TANWALL	EXO	E25	
	REKON RACE	M355RU	ETB00465000	29X2.40	61-622	21-35	120	FOLDABLE	821	MAXXSPEED	25	BLACK	MS/EXO/TR	E25	
	REKON RACE	M355RU	ETB00211100	29X2.40	61-622	21-35	120	FOLDABLE	814	DUAL	50	BLACK	EXO/TR	E25	
	REKON RACE	M355RU	ETB00417300	29X2.40	61-622	21-35	60	FOLDABLE	836	SINGLE	50	TANWALL	EXO/TR	E25	
	PACE	M333	ETB00359800	26X1.95	50-559	17-30	60	WIRE	574	SINGLE	65	BLACK		E25	
	PACE	M333	ETB60881200	26X1.95	50-559	17-30	60	FOLDABLE	625	SINGLE	65	BLACK	SILKSHIELD	E25	
	PACE	M333	ETB00359900	26X2.10	52-559	17-30	60	WIRE	640	SINGLE	65	BLACK		E25	
	PACE	M333	ETB69309100	26X2.10	53-559	17-30	60	FOLDABLE	587	SINGLE	65	BLACK		E25	
	PACE	M333	ETB91025200	27.5X1.75	42-584	17-27	60	WIRE	546	SINGLE	65	BLACK		E25	
	PACE	M333	ETB91025300	27.5X1.75	42-584	17-27	60	FOLDABLE	500	SINGLE	65	BLACK		E25	
	PACE	M333	ETB85908000	27.5X1.95	50-584	17-30	60	WIRE	640	SINGLE	65	BLACK		E25	
	PACE	M333	ETB85908200	27.5X1.95	50-584	17-30	60	FOLDABLE	656	SINGLE	65	BLACK	SILKSHIELD	E25	
	PACE	M333	ETB00282000	27.5X2.10	53-584	17-30	60	WIRE	653	SINGLE	65	BLACK		E25	
	PACE	M333	ETB90942100	27.5X2.10	53-584	17-30	60	FOLDABLE	606	SINGLE	65	BLACK		E25	
	PACE	M333	ETB00327900	29X2.10	53-622	17-30	60	WIRE	696	SINGLE	65	BLACK		E25	
	PACE	M333	ETB96667100	29X2.10	53-622	17-30	60	FOLDABLE	656	SINGLE	65	BLACK		E25	
CROSSMARK II	M344P	ETB00359400	26X1.95	50-559	17-30	60	WIRE	586	DUAL	65	BLACK	EXO/TR	E25		
	CROSSMARK II	M344P	ETB00359600	26X2.10	52-559	17-30	60	WIRE	670	DUAL	65	BLACK		E25	
	CROSSMARK II	M344RU	ETB69854100	26X2.10	53-559	17-30	60	FOLDABLE	685	DUAL	60	BLACK	EXO/TR	E25	
	CROSSMARK II	M344P	ETB00359300	26X2.25	57-559	17-30	60	WIRE	750	DUAL	65	BLACK		E25	
	CROSSMARK II	M344RU	ETB72642100	26X2.25	57-559	17-30	60	FOLDABLE	778	DUAL	60	BLACK	EXO/TR	E25	
	CROSSMARK II	M344P	ETB90953000	27.5X2.10	53-584	17-30	60	WIRE	712	DUAL	65	BLACK		E25	
	CROSSMARK II	M344P	ETB90953100	27.5X2.10	53-584	17-30	60	FOLDABLE	630	DUAL	65	BLACK		E25	
	CROSSMARK II	M344RU	ETB90955100	27.5X2.10	53-584	17-30	60	FOLDABLE	715	DUAL	60	BLACK	EXO/TR	E25	

MOUNTAIN														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
CROSSMARK II	M344P	ETB00328600	27.5X2.25	57-584	17-30	60	WIRE	782	DUAL	65	BLACK		E25	
CROSSMARK II	M344EP	ETB00450200	27.5X2.25	57-584	17-30	60	WIRE	855	SINGLE	65	BLACK	EXO/REF	E25	
CROSSMARK II	M344RU	ETB91032100	27.5X2.25	57-584	17-30	60	FOLDABLE	807	DUAL	60	BLACK	EXO/TR	E25	
CROSSMARK II	M344RU	ETB96752100	29X2.10	53-622	17-30	60	FOLDABLE	775	DUAL	60	BLACK	EXO/TR	E25	
CROSSMARK II	M344P	ETB00296600	29X2.25	57-622	17-30	60	WIRE	834	DUAL	65	BLACK		E25	
CROSSMARK II	M344P	ETB96845100	29X2.25	57-622	17-30	60	WIRE	856	SINGLE	65	BLACK		E25	
CROSSMARK II	M344P	ETB96845200	29X2.25	57-622	17-30	60	FOLDABLE	768	SINGLE	65	BLACK		E25	
CROSSMARK II	M344RU	ETB96795100	29X2.25	57-622	17-30	60	FOLDABLE	870	DUAL	60	BLACK	EXO/TR	E25	
IKON	M319P	ETB72385200	26X2.20	57-559	17-30	60	WIRE	709	SINGLE	65	BLACK		E25	
IKON	M319P	ETB00359700	26X2.20	57-559	17-30	60	WIRE	660	DUAL	65	BLACK		E25	
IKON	M319RU	ETB00220500	26X2.20	57-559	17-30	60	FOLDABLE	676	SINGLE	60	TANWALL	EXO/TR	E25	
IKON	M319P	ETB72385300	26X2.20	57-559	17-30	60	FOLDABLE	625	SINGLE	65	BLACK		E25	
IKON	M319RU	ETB72390100	26X2.20	57-559	17-30	120	FOLDABLE	657	3C MAXX-SPEED	60	BLACK	3CS/EXO/TR	E25	
IKON	M319RU	ETB73499100	26X2.35	60-559	17-30	120	FOLDABLE	742	3C MAXX-SPEED	60	BLACK	3CS/EXO/TR	E25	
IKON	M319P	ETB00327000	27.5X2.20	56-584	17-30	60	WIRE	689	DUAL	65	BLACK		E25	
IKON	M319P	ETB85920400	27.5X2.20	56-584	17-30	60	FOLDABLE	649	SINGLE	65	BLACK		E25	
IKON	M319RU	ETB00332800	27.5X2.20	56-584	17-30	60	FOLDABLE	701	SINGLE	60	TANWALL	EXO/TR	E25	
IKON	M319RU	ETB85919300	27.5X2.20	56-584	17-30	60	FOLDABLE	719	DUAL	60	BLACK	EXO/TR	E25	
NEW	IKON	M319RU	ETB00465600	27.5X2.20	56-584	17-30	120	FOLDABLE	680	MAXXSPEED	60	BLACK	MS/EXO/TR	E25
NEW	IKON	M319RU	ETB85919000	27.5X2.20	56-584	17-30	120	FOLDABLE	683	3C MAXX-SPEED	60	BLACK	3CS/EXO/TR	E25
NEW	IKON	M319RU	ETB00465400	27.5X2.35	60-584	17-30	120	FOLDABLE	781	MAXXSPEED	60	BLACK	MS/EXO/TR	E25
IKON	M319RU	ETB96646100	29X2.00	50-622	17-30	120	FOLDABLE	677	3C MAXX-SPEED	60	BLACK	3CS/EXO/TR	E25	
IKON	M319P	ETB00327800	29X2.20	57-622	17-30	60	WIRE	735	DUAL	65	BLACK		E25	
IKON	M319P	ETB96753200	29X2.20	57-622	17-30	60	WIRE	780	SINGLE	65	BLACK		E25	
IKON	M319P	ETB96753300	29X2.20	57-622	17-30	60	FOLDABLE	692	SINGLE	65	BLACK		E25	

MOUNTAIN														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
IKON	M319P	ETB00334200	29X2.20	57-622	17-30	60	FOLDABLE	756	SINGLE	65	TANWALL	EXO	E25	
IKON	M319RU	ETB96740300	29X2.20	57-622	17-30	60	FOLDABLE	777	DUAL	60	BLACK	EXO/TR	E25	
IKON	M319RU	ETB00332900	29X2.20	57-622	17-30	60	FOLDABLE	761	SINGLE	60	TANWALL	EXO/TR	E25	
IKON	M319RU	ETB00333000	29X2.20	57-622	17-30	60	FOLDABLE	759	3C MAXX-SPEED	60	TANWALL	3CS/EXO/TR	E25	
NEW	IKON	M319RU	ETB00465500	29X2.20	57-622	17-30	120	FOLDABLE	680	MAXXSPEED	60	BLACK	MS/EXO/TR	E25
NEW	IKON	M319RU	ETB00465300	29X2.35	60-622	17-30	120	FOLDABLE	839	MAXXSPEED	60	BLACK	MS/EXO/TR	E25
NEW	IKON	M319RU	ETB00502700	29X2.40	61-622	21-35	120	FOLDABLE	838	MAXXSPEED	25	BLACK	MS/EXO/TR	E25
NEW	IKON	M319RU	ETB00038300	29X2.60	66-622	25-43	120	FOLDABLE	833	3C MAXX-SPEED	40	BLACK	3CS/EXO/TR	E25
NEW	SEVERE	M360RU	ETB00477500	27.5X2.25	57-584	17-30	120	FOLDABLE	690	MAXXSPEED	60	BLACK	EXO/TR	E25
NEW	SEVERE	M360RU	ETB00465700	29X2.25	57-622	17-30	120	FOLDABLE	748	MAXXSPEED	60	BLACK	EXO/TR	E25
	REKON	M349P	ETB00153500	24X2.20	56-507	17-30	60	FOLDABLE	603	DUAL	65	BLACK		E25
	REKON	M349P	ETB00328200	27.5X2.25	57-584	17-30	60	WIRE	722	SINGLE	65	BLACK		E25
	REKON	M349RU	ETB00018000	27.5X2.40	61-584	21-35	60	FOLDABLE	827	DUAL	50	BLACK	EXO/TR	E25
	REKON	M349RU	ETB00017400	27.5X2.40	61-584	21-35	60	FOLDABLE	834	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25
	REKON	M349P	ETB00329000	27.5X2.60	66-584	25-43	60	WIRE	986	DUAL	40	BLACK	EXO	E25
	REKON	M349RU	ETB91145300	27.5X2.60	66-584	25-43	60	FOLDABLE	880	DUAL	40	BLACK	EXO/TR	E25
	REKON	M349RU	ETB91145200	27.5X2.60	66-584	25-43	120	FOLDABLE	836	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25
	REKON	M349RU	ETB00111800	27.5X2.60	66-584	25-43	60	FOLDABLE	948	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25
	REKON	M349P	ETB00328300	29X2.25	57-622	17-30	60	WIRE	794	SINGLE	65	BLACK		E25
	REKON	M349RU	ETB96899100	29X2.25	57-622	17-30	120	FOLDABLE	719	3C MAXX-SPEED	60	BLACK	3CS/EXO/TR	E25
	REKON	M349P	ETB00328800	29X2.40	59/61-622	21-35	60	WIRE	885	DUAL	65	BLACK		E25
	REKON	M349RU	ETB00017700	29X2.40	61-622	21-35	60	FOLDABLE	891	DUAL	50	BLACK	EXO/TR	E25
	REKON	M349RU	ETB00219600	29X2.40	61-622	21-35	60	FOLDABLE	875	DUAL	50	TANWALL	EXO/TR	E25
	REKON	M349RU	ETB00017500	29X2.40	61-622	21-35	60	FOLDABLE	901	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25

MOUNTAIN																													
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	SPECIFICATIONS															
REKON	M349RU	ETB00301000	29X2.40	61-622	21-35	60	FOLDABLE	932	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	SPECIFICATIONS															
REKON	M349P	ETB00328900	29X2.60	66-622	25-43	60	WIRE	1050	DUAL	40	BLACK	EXO	E25	AGGRESSOR	M343RU	ETB85984000	27.5X2.50	63-584	21-35	60	FOLDABLE	1046	DUAL	50	BLACK	EXO/TR	E25		
REKON	M349RU	ETB96962100	29X2.60	66-622	25-43	60	FOLDABLE	941	DUAL	40	BLACK	EXO/TR	E25	AGGRESSOR	M343RU	ETB85984100	27.5X2.50	63-584	21-35	120X2	FOLDABLE	1255	DUAL	50	BLACK	DD/TR	E25		
REKON	M349RU	ETB00219700	29X2.60	66-622	25-43	60	FOLDABLE	927	DUAL	40	TANWALL	EXO/TR	E25	AGGRESSOR	M343RU	ETB96882000	29X2.30	58-622	21-35	60	FOLDABLE	989	DUAL	60	BLACK	EXO/TR	E25		
REKON	M349RU	ETB96962000	29X2.60	66-622	25-43	120	FOLDABLE	894	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25	AGGRESSOR	M343RU	ETB96882100	29X2.30	58-622	21-35	120X2	FOLDABLE	1205	DUAL	60	BLACK	DD/TR	E25		
REKON	M349RU	ETB00096500	29X2.60	66-622	25-43	60	FOLDABLE	1015	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25	AGGRESSOR	M343RU	ETB96870000	29X2.50	63-622	21-35	60	FOLDABLE	1122	DUAL	50	BLACK	EXO/TR	E25		
SNYPER	M151	ETB49307300	24X2.00	50-507	17-30	60	WIRE	670	DUAL	65	BLACK	SILKSHIELD	E25	AGGRESSOR	M343RU	ETB96870100	29X2.50	63-622	21-35	120X2	FOLDABLE	1337	DUAL	50	BLACK	DD/TR	E25		
SNYPER	M151	ETB49307200	24X2.00	50-507	17-30	60	FOLDABLE	621	DUAL	65	BLACK	SILKSHIELD	E25	DISSECTOR	M357RU	ETB00240600	27.5X2.40	61-584	21-35	60	FOLDABLE	878	DUAL	50	BLACK	EXO/TR	E25		
FOREKASTER	M362P	ETB00474500	27.5X2.25	57-622	17-30	60	WIRE	836	DUAL	65	BLACK	SPECIFICATIONS				DISSECTOR	M357RU	ETB00231000	27.5X2.40	61-584	21-35	60	FOLDABLE	889	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25
FOREKASTER	M362P	ETB00474700	27.5X2.40	61-622	21-35	60	WIRE	899	DUAL	65	BLACK	SPECIFICATIONS				DISSECTOR	M357RU	ETB00259900	27.5X2.40	61-584	21-35	60	FOLDABLE	951	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25
FOREKASTER	M362RU	ETB00477000	27.5X2.40	61-584	21-35	60	FOLDABLE	840	DUAL	50	BLACK	EXO/TR	E25	DISSECTOR	M357RU	ETB00240700	27.5X2.40	61-584	21-35	120X2	FOLDABLE	1094	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25		
FOREKASTER	M362RU	ETB00476900	27.5X2.40	61-584	21-35	60	FOLDABLE	849	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	DISSECTOR	M357RU	ETB00240900	27.5X2.60	66-584	23-35	60	FOLDABLE	984	DUAL	40	BLACK	EXO/TR	E25		
FOREKASTER	M362RU	ETB00473500	27.5X2.40	61-584	21-35	60	FOLDABLE	937	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	DISSECTOR	M357RU	ETB00237200	27.5X2.60	66-584	23-35	60	FOLDABLE	1047	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25		
FOREKASTER	M362P	ETB00474200	29X2.25	57-622	17-30	60	WIRE	891	DUAL	65	BLACK	SPECIFICATIONS				DISSECTOR	M357RU	ETB00237100	27.5X2.60	66-584	23-35	60	FOLDABLE	1115	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25
FOREKASTER	M362P	ETB00474300	29X2.40	61-622	21-35	60	WIRE	957	DUAL	65	BLACK	SPECIFICATIONS				DISSECTOR	M357RU	ETB00241300	29X2.40	61-622	21-35	60	FOLDABLE	949	DUAL	50	BLACK	EXO/TR	E25
FOREKASTER	M362RU	ETB00460500	29X2.40	61-622	21-35	60	FOLDABLE	947	DUAL	50	BLACK	EXO/TR	E25	DISSECTOR	M357RU	ETB00241200	29X2.40	61-622	21-35	60	FOLDABLE	956	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25		
FOREKASTER	M362RU	ETB00458000	29X2.40	61-622	21-35	60	FOLDABLE	945	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	DISSECTOR	M357RU	ETB00259800	29X2.40	61-622	21-35	60	FOLDABLE	1022	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25		
FOREKASTER	M362RU	ETB00460700	29X2.40	61-622	21-35	60	FOLDABLE	999	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	DISSECTOR	M357RU	ETB00350300	29X2.40	61-622	21-35	120X2	FOLDABLE	1172	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25		
FOREKASTER	M362RU	ETB00460600	29X2.60	66-622	25-43	60	FOLDABLE	1039	DUAL	40	BLACK	EXO/TR	E25	DISSECTOR	M357RU	ETB00241400	29X2.40	61-622	21-35	120X2	FOLDABLE	1167	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25		
FOREKASTER	M362RU	ETB00460300	29X2.60	66-622	25-43	60	FOLDABLE	1010	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25	DISSECTOR	M357RU	ETB00240800	29X2.60	66-622	25-43	60	FOLDABLE	1054	DUAL	40	BLACK	EXO/TR	E25		
FOREKASTER	M362RU	ETB00460400	29X2.60	66-622	25-43	60	FOLDABLE	1074	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25	DISSECTOR	M357RU	ETB00417400	29X2.60	66-622	25-43	60	FOLDABLE	1036	DUAL	40	TANWALL	EXO/TR	E25		
AGGRESSOR	M343RU	ETB73310000	26X2.30	58-559	21-35	60	FOLDABLE	886	DUAL	60	BLACK	EXO/TR	E25	DISSECTOR	M357RU	ETB00237000	29X2.60	66-622	25-43	60	FOLDABLE	1121	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25		
AGGRESSOR	M343RU	ETB91009100	27.5X2.30	58-584	21-35	60	FOLDABLE	919	DUAL	60	BLACK	EXO/TR	E25	DISSECTOR	M357RU	ETB00236900	29X2.60	66-622	23-35	60	FOLDABLE	1195	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25		
MOUNTAIN																													
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	DISSECTOR	M357RU	ETB00327200	20X2.40	61-406	21-35	60	WIRE	708	DUAL	65	BLACK	SPECIFICATIONS			

MOUNTAIN														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
MINION DHF	M301P	ETB00327300	20X2.40	61-406	21-35	60	FOLDABLE	648	DUAL	65	BLACK		E25	
MINION DHF	M301P	ETB00153100	24X2.40	61-507	21-35	60	FOLDABLE	745	DUAL	65	BLACK		E25	
MINION DHF	M301RU	ETB00139500	24X2.40	61-507	21-35	60	FOLDABLE	819	DUAL	60	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB00017600	24X2.40	61-507	21-35	120	FOLDABLE	801	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB73305100	26X2.30	58-559	21-35	60	FOLDABLE	924	DUAL	60	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB73305200	26X2.30	58-559	21-35	60	FOLDABLE	910	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301	ETB73550000	26X2.35	52-559	17-30	60	WIRE	858	SUPER TACKY	65	BLACK	ST	E25	
MINION DHF	M301	ETB73550800	26X2.35	52-559	17-30	60	FOLDABLE	759	SINGLE	65	BLACK		E25	
MINION DHF	M301E	ETB74267400	26X2.50	55/59-559	17-30	60	FOLDABLE	933	SUPER TACKY	65	BLACK	ST/EXO	E25	
MINION DHF	M301RU	ETB74284100	26X2.50	63-559	21-35	60	FOLDABLE	965	DUAL	50	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB74284000	26X2.50	63-559	21-35	60	FOLDABLE	984	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB85925400	27.5X2.30	58-584	21-35	60	FOLDABLE	959	DUAL	60	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB85925100	27.5X2.30	58-584	21-35	60	FOLDABLE	945	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB00333300	27.5X2.30	58-584	21-35	60	FOLDABLE	929	3C MAXX-TERRA	60	TANWALL	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB85975000	27.5X2.50	63-584	21-35	60	FOLDABLE	1004	DUAL	50	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB00219900	27.5X2.50	63-584	21-35	60	FOLDABLE	984	DUAL	50	TANWALL	EXO/TR	E25	
MINION DHF	M301RU	ETB85975100	27.5X2.50	63-584	21-35	60	FOLDABLE	1024	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB85975200	27.5X2.50	63-584	21-35	60	FOLDABLE	1015	3C MAXXGRIP	50	BLACK	3CG/EXO/TR	E25	
MINION DHF	M301RU	ETB00112100	27.5X2.50	63-584	21-35	60	FOLDABLE	1086	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	
MINION DHF	M301RU	ETB00447200	27.5X2.50	63-584	21-35	60	FOLDABLE	1085	3C MAXXGRIP	50	BLACK	3CG/EXO+/TR	E25	
MINION DHF	M301RU	ETB85975300	27.5X2.50	63-584	21-35	120X2	FOLDABLE	1232	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
MINION DHF	M301RU	ETB91146200	27.5X2.60	66-584	25-43	60	FOLDABLE	1051	DUAL	40	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB91146300	27.5X2.60	66-584	25-43	120	FOLDABLE	1025	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25	

MOUNTAIN														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
MINION DHF	M301RU	ETB00093700	27.5X2.60	66-584	25-43	60	FOLDABLE	1137	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25	
MINION DHF	M301RU	ETB96785000	29X2.30	58-622	21-35	60	FOLDABLE	1031	DUAL	60	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB96785100	29X2.30	58-622	21-35	60	FOLDABLE	1015	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB96785400	29X2.30	58-622	21-35	120X2	FOLDABLE	1231	3C MAXX-TERRA	60	BLACK	3CT/DD/TR	E25	
MINION DHF	M301P	ETB00445900	29X2.50	63-622	21-35	60	WIRE	1099	SINGLE	60	BLACK	EXO	E25	
MINION DHF	M301RU	ETB96800000	29X2.50	63-622	21-35	60	FOLDABLE	1099	DUAL	50	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB00220100	29X2.50	63-622	21-35	60	FOLDABLE	1060	DUAL	50	TANWALL	EXO/TR	E25	
MINION DHF	M301RU	ETB96800300	29X2.50	63-622	21-35	60	FOLDABLE	1099	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB00144000	29X2.50	63-622	21-35	60	FOLDABLE	1092	3C MAXXGRIP	50	BLACK	3CG/EXO/TR	E25	
MINION DHF	M301RU	ETB00112000	29X2.50	63-622	21-35	60	FOLDABLE	1163	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	
MINION DHF	M301RU	ETB96800600	29X2.50	63-622	21-35	120X2	FOLDABLE	1314	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25	
MINION DHF	M301RU	ETB00132600	29X2.50	63-622	21-35	120X2	FOLDABLE	1313	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
MINION DHF	M301RU	ETB00032800	29X2.60	66-622	25-43	60	FOLDABLE	1125	DUAL	40	BLACK	EXO/TR	E25	
MINION DHF	M301RU	ETB00220000	29X2.60	66-622	25-43	60	FOLDABLE	1107	DUAL	40	TANWALL	EXO/TR	E25	
MINION DHF	M301RU	ETB00032600	29X2.60	66-622	25-43	120	FOLDABLE	1097	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25	
MINION DHF	M301RU	ETB00096400	29X2.60	66-622	25-43	60	FOLDABLE	1218	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25	
MINION DHF	M301RU	ETB00447300	29X2.50	63-622	21-35	60	FOLDABLE	1162	3C MAXXGRIP	50	BLACK	3CG/EXO+/TR	E25	
MINION DHR II	M327P	ETB00327400	20X2.30	58-406	21-35	60	WIRE	631	DUAL	65	BLACK		E25	
MINION DHR II	M327P	ETB00327500	20X2.30	58-406	21-35	60	FOLDABLE	571	DUAL	65	BLACK		E25	
MINION DHR II	M327P	ETB00153300	24X2.30	58-507	21-35	60	FOLDABLE	682	DUAL	65	BLACK		E25	
MINION DHR II	M327RU	ETB00143500	24X2.30	58-507	21-35	60	FOLDABLE	759	DUAL	60	BLACK	EXO/TR	E25	
MINION DHR II	M327RU	ETB73303000	26X2.30	58-559	21-35	60	FOLDABLE	854	DUAL	60	BLACK	EXO/TR	E25	
MINION DHR II	M327RU	ETB73303100	26X2.30	58-559	21-35	60	FOLDABLE	852	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
MINION DHR II	M327	ETB72907500	26X2.40	61-559	21-35	60	FOLDABLE	933	SUPER TACKY	65	BLACK	ST/EXO	E25	

SPECIFICATIONS	MOUNTAIN															MOUNTAIN														
	TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE		
	MINION DHR II	M327RU	ETB72910000	26X2.40	61-559	21-35	60	FOLDABLE	930	DUAL	50	BLACK	EXO/TR	E25		MINION DHR II	M327RU	ETB96776400	29X2.30	58-622	21-35	120X2	FOLDABLE	1161	3C MAXX-TERRA	60	BLACK	3CT/DD/TR	E25	
	MINION DHR II	M327RU	ETB72910100	26X2.40	61-559	21-35	60	FOLDABLE	912	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25		MINION DHR II	M327RU	ETB96797000	29X2.40	61-622	21-35	60	FOLDABLE	1040	DUAL	50	BLACK	EXO/TR	E25	
	MINION DHR II	M327RU	ETB85927200	27.5X2.30	58-584	21-35	60	FOLDABLE	888	DUAL	60	BLACK	EXO/TR	E25		MINION DHR II	M327RU	ETB00220400	29X2.40	61-622	21-35	60	FOLDABLE	1022	DUAL	50	TANWALL	EXO/TR	E25	
	MINION DHR II	M327RU	ETB85927000	27.5X2.30	58-584	21-35	60	FOLDABLE	886	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25		MINION DHR II	M327RU	ETB96797100	29X2.40	61-622	21-35	60	FOLDABLE	1021	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
	MINION DHR II	M327RU	ETB85927400	27.5X2.30	58-584	21-35	120X2	FOLDABLE	1089	3C MAXX-TERRA	60	BLACK	3CT/DD/TR	E25		MINION DHR II	M327RU	ETB00143900	29X2.40	61-622	21-35	60	FOLDABLE	1056	3C MAXXGRIP	50	BLACK	3CG/EXO/TR	E25	
	MINION DHR II	M327RU	ETB85962000	27.5X2.40	61-584	21-35	60	FOLDABLE	965	DUAL	50	BLACK	EXO/TR	E25		MINION DHR II	M327RU	ETB00112200	29X2.40	61-622	21-35	60	FOLDABLE	1102	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	
	MINION DHR II	M327RU	ETB00220200	27.5X2.40	61-584	21-35	60	FOLDABLE	949	DUAL	50	TANWALL	EXO/TR	E25		MINION DHR II	M327RU	ETB00447500	29X2.40	61-622	21-35	60	FOLDABLE	1122	3C MAXXGRIP	50	BLACK	3CG/EXO+/TR	E25	
	MINION DHR II	M327RU	ETB85962100	27.5X2.40	61-584	21-35	60	FOLDABLE	947	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25		MINION DHR II	M327RU	ETB00307900	29X2.40	61-622	21-35	120X2	FOLDABLE	1222	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25	
	MINION DHR II	M327RU	ETB00354300	27.5X2.40	61-584	21-35	60	FOLDABLE	980	3C MAXXGRIP	50	BLACK	3CG/EXO/TR	E25		MINION DHR II	M327RU	ETB00087500	29X2.40	61-622	21-35	120X2	FOLDABLE	1260	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
	MINION DHR II	M327RU	ETB00112300	27.5X2.40	61-584	21-35	60	FOLDABLE	1009	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25		MINION DHR II	M327RU	ETB00518200	29X2.50	63-622	21-35	60	FOLDABLE	1131	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	
	MINION DHR II	M327RU	ETB00447400	27.5X2.40	61-584	21-35	60	FOLDABLE	1045	3C MAXXGRIP	50	BLACK	3CG/EXO+/TR	E25		MINION DHR II	M327RU	ETB00518000	29X2.50	63-622	21-35	120X2	FOLDABLE	1282	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25	
	MINION DHR II	M327RU	ETB85962600	27.5X2.40	61-584	21-35	120X2	FOLDABLE	1161	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25		MINION DHR II	M327RU	ETB00551000	29X2.50	63-622	21-35	120X2	FOLDABLE	1305	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
	MINION DHR II	M327RU	ETB00132400	27.5X2.40	61-584	21-35	120X2	FOLDABLE	1194	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25		MINION DHR II	M327RU	ETB00220300	29X2.60	66-622	25-43	60	FOLDABLE	1099	DUAL	40	TANWALL	EXO/TR	E25	
NEW	MINION DHR II	M327RU	ETB00518700	27.5X2.50	63-584	21-35	60	FOLDABLE	1056	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25		MINION DHR II	M327RU	ETB00096300	29X2.60	66-622	25-43	60	FOLDABLE	1199	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25	
NEW	MINION DHR II	M327RU	ETB00518600	27.5X2.50	63-584	21-35	120X2	FOLDABLE	1204	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25		MINION DHR II	M327RU	ETB00073100	29X2.60	66-622	25-43	120	FOLDABLE	1079	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25	
NEW	MINION DHR II	M327RU	ETB00551400	27.5X2.50	63-584	21-35	120X2	FOLDABLE	1225	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25		MINION DHR II	M327RU	ETB00073200	29X2.60	66-622	25-43	60	FOLDABLE	1117	DUAL	40	BLACK	EXO/TR	E25	
	MINION DHR II	M327RU	ETB91149100	27.5X2.60	66-584	25-43	60	FOLDABLE	1043	DUAL	40	BLACK	EXO/TR	E25		MINION DHR II	M327RU	ETB00353000	29X2.60	66-622	25-43	120X2	FOLDABLE	1204	3C MAXX-TERRA	40	BLACK	3CT/DD/TR	E25	
	MINION DHR II	M327RU	ETB91149000	27.5X2.60	66-584	25-43	120	FOLDABLE	1007	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25		HIGH ROLLER II	M325RU	ETB73307000	26X2.30	58-559	21-35	60	FOLDABLE	841	DUAL	60	BLACK	EXO/TR	E25	
	MINION DHR II	M327RU	ETB00093900	27.5X2.60	66-584	25-43	60	FOLDABLE	1119	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25		HIGH ROLLER II	M325RU	ETB73307100	26X2.30	58-559	21-35	60	FOLDABLE	854	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
NEW	MINION DHR II	M327RU	ETB00278600	27.5X2.60	66-584	25-43	120X2	FOLDABLE	1274	3C MAXX-TERRA	40	BLACK	3CT/DD/TR	E25		HIGH ROLLER II	M325P	ETB74177300	26X2.40	61-559	21-35	60	FOLDABLE	900	SINGLE	65	BLACK	EXO	E25	
	MINION DHR II	M327RU	ETB96776000	29X2.30	58-622	21-35	60	FOLDABLE	953	DUAL	60	BLACK	EXO/TR	E25		HIGH ROLLER II	M325RU	ETB85923000	27.5X2.30	58-584	21-35	60	FOLDABLE	875	DUAL	60	BLACK	EXO/TR	E25	
	MINION DHR II	M327RU	ETB96776100	29X2.30	58-622	21-35	60	FOLDABLE	951	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25		HIGH ROLLER II	M325RU	ETB85923100	27.5X2.30	58-584	21-35	60	FOLDABLE	888	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	

MOUNTAIN														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
HIGH ROLLER II	M325P	ETB85915400	27.5X2.40	61-584	21-35	60	FOLDABLE	935	SINGLE	65	BLACK	EXO	E25	
HIGH ROLLER II	M325EP	ETB85914800	27.5X2.40	61-584	21-35	60	FOLDABLE	985	SINGLE	65	BLACK	EBIKE/SILK-SHIELD	E25	
HIGH ROLLER II	M325RU	ETB91052100	27.5X2.40	61-584	21-35	60	FOLDABLE	921	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
HIGH ROLLER II	M325RU	ETB85983000	27.5X2.50	63-584	21-35	60	FOLDABLE	966	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
HIGH ROLLER II	M325RU	ETB85983100	27.5X2.50	63-584	21-35	120X2	FOLDABLE	1183	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25	
HIGH ROLLER II	M325RU	ETB96769000	29X2.30	58-622	21-35	60	FOLDABLE	939	DUAL	60	BLACK	EXO/TR	E25	
HIGH ROLLER II	M325RU	ETB96769100	29X2.30	58-622	21-35	60	FOLDABLE	953	3C MAXX-TERRA	60	BLACK	3CT/EXO/TR	E25	
HIGH ROLLER II	M325RU	ETB96803000	29X2.50	63-622	21-35	60	FOLDABLE	1038	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
HIGH ROLLER II	M325RU	ETB96803100	29X2.50	63-622	21-35	120X2	FOLDABLE	1261	3C MAXX-TERRA	50	BLACK	3CT/DD/TR	E25	
ASSEGAI	M356RU	ETB00163300	27.5X2.50	63-584	21-35	60	FOLDABLE	1041	DUAL	50	BLACK	EXO/TR	E25	
ASSEGAI	M356RU	ETB00502800	27.5X2.50	63-584	21-35	60	FOLDABLE	1021	DUAL	50	TANWALL	EXO/TR	E25	
ASSEGAI	M356RU	ETB00163200	27.5X2.50	63-584	21-35	60	FOLDABLE	1008	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
ASSEGAI	M356RU	ETB00172400	27.5X2.50	63-584	21-35	60	FOLDABLE	1070	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	
ASSEGAI	M356RU	ETB00308200	27.5X2.50	63-584	21-35	60	FOLDABLE	1139	3C MAXXGRIP	50	BLACK	3CG/EXO+/TR	E25	
ASSEGAI	M356RU	ETB00097500	27.5X2.50	63-584	21-35	120X2	FOLDABLE	1286	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
ASSEGAI	M356RU	ETB00195500	27.5X2.60	66-584	25-43	60	FOLDABLE	1087	DUAL	40	BLACK	EXO/TR	E25	
ASSEGAI	M356RU	ETB00503000	27.5X2.60	66-584	25-43	60	FOLDABLE	1076	DUAL	50	TANWALL	EXO/TR	E25	
ASSEGAI	M356RU	ETB00202400	27.5X2.60	66-584	25-43	60	FOLDABLE	1121	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25	
ASSEGAI	M356RU	ETB00202700	27.5X2.60	66-584	25-43	60	FOLDABLE	1189	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25	
ASSEGAI	M356RU	ETB00235600	27.5X2.60	66-584	25-43	120X2	FOLDABLE	1335	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
ASSEGAI	M356RU	ETB00163100	29X2.50	63-622	21-35	60	FOLDABLE	1117	DUAL	50	BLACK	EXO/TR	E25	
ASSEGAI	M356RU	ETB00502900	29X2.50	63-622	21-35	60	FOLDABLE	1097	DUAL	50	TANWALL	EXO/TR	E25	

MOUNTAIN														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
ASSEGAI	M356RU	ETB00163000	29X2.50	63-622	21-35	60	FOLDABLE	1082	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
ASSEGAI	M356RU	ETB00172500	29X2.50	63-622	21-35	60	FOLDABLE	1136	3C MAXX-TERRA	50	BLACK	3CT/EXO+/TR	E25	
ASSEGAI	M356RU	ETB00308100	29X2.50	63-622	21-35	60	FOLDABLE	1219	3C MAXXGRIP	50	BLACK	3CG/EXO+/TR	E25	
ASSEGAI	M356RU	ETB00097400	29X2.50	63-622	21-35	120X2	FOLDABLE	1370	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
ASSEGAI	M356RU	ETB00195600	29X2.60	66-622	25-43	60	FOLDABLE	1163	DUAL	40	BLACK	EXO/TR	E25	
ASSEGAI	M356RU	ETB00503100	29X2.60	66-622	25-43	60	FOLDABLE	1141	DUAL	50	TANWALL	EXO/TR	E25	
ASSEGAI	M356RU	ETB00203100	29X2.60	66-622	25-43	60	FOLDABLE	1199	3C MAXX-TERRA	40	BLACK	3CT/EXO/TR	E25	
ASSEGAI	M356RU	ETB00202900	29X2.60	66-622	25-43	60	FOLDABLE	1263	3C MAXX-TERRA	40	BLACK	3CT/EXO+/TR	E25	
ASSEGAI	M356RU	ETB00235200	29X2.60	66-622	25-43	120X2	FOLDABLE	1419	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
SHORTY	M359RU	ETB00325200	27.5X2.40	61-584	21-35	60	FOLDABLE	965	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
SHORTY	M359RU	ETB00325100	27.5X2.40	61-584	21-35	120X2	FOLDABLE	1179	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	
SHORTY	M359RU	ETB00311800	29X2.40	61-622	21-35	60	FOLDABLE	1040	3C MAXX-TERRA	50	BLACK	3CT/EXO/TR	E25	
SHORTY	M359RU	ETB00312200	29X2.40	61-622	21-35	120X2	FOLDABLE	1256	3C MAXXGRIP	50	BLACK	3CG/DD/TR	E25	

E-MTB														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE	
FOREKASTER	M362eU	ETB00472500	27.5X2.40	61-584	21-35	60	FOLDABLE	911	3C MAXXTERRA	50	BLACK	3CT/EXO+/TR	E50	
FOREKASTER	M362eU	ETB00472400	29X2.40	61-622	21-35	60	FOLDABLE	999	3C MAXXTERRA	50	BLACK	3CT/EXO+/TR	E50	
MINION DHF	M301eU	ETB00472900	27.5X2.50	63-584	21-35	60X2	FOLDABLE	1335	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E50	
MINION DHF	M301eU	ETB00472800	29X2.50	63-622	21-35	60X2	FOLDABLE	1423	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E50	
MINION DHR II	M327eU	ETB00472700	27.5X2.40	61-584	21-35	60X2	FOLDABLE	1261	3C MAXXTERRA	50	BLACK	3CT/DH/TR	E50	
MINION DHR II	M327eU	ETB00472600	29X2.40	61-622	21-35	60X2	FOLDABLE	1344	3C MAXXTERRA	50	BLACK	3CT/DH/TR	E50	
ASSEGAI	M356eU	ETB00473100	27.5X2.50	63-584	21-35	60X2	FOLDABLE	1389	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E50	
ASSEGAI	M356eU	ETB00473000	29X2.50	63-622	21-35	60X2	FOLDABLE	1480	3C MAXXGRIP	50	BLACK	3CG/DH/TR</td		

TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE
REKON	M349	ETB00471000	27.5X2.80	71-584	25-43	60	WIRE	1063	DUAL	35	BLACK	EXO/TR	E25
REKON	M349	ETB96906000	27.5X2.80	71-584	25-43	60	FOLDABLE	1014	DUAL	35	BLACK	EXO/TR	E25
REKON	M349	ETB96906100	27.5X2.80	71-584	25-43	120	FOLDABLE	957	3C MAXXTERRA	35	BLACK	3CT/EXO/TR	E25
REKON	M349	ETB00260100	27.5X2.80	71-584	25-43	60	FOLDABLE	984	3C MAXXTERRA	35	TANWALL	3CT/EXO/TR	E25
REKON	M349	ETB00161200	27.5X2.80	71-584	25-43	60	FOLDABLE	1072	3C MAXXTERRA	35	BLACK	3CT/EXO+/TR	E25
REKON	M349	ETB00038600	29X2.80	71-622	25-43	60	FOLDABLE	1089	DUAL	35	BLACK	EXO/TR	E25
MINION DHF	M301	ETB96908100	27.5X2.80	71-584	25-43	60	FOLDABLE	1110	DUAL	35	BLACK	EXO/TR	E25
MINION DHF	M301	ETB96908000	27.5X2.80	71-584	25-43	120	FOLDABLE	1081	3C MAXXTERRA	35	BLACK	3CT/EXO/TR	E25
MINION DHF	M301	ETB00093800	27.5X2.80	71-584	25-43	60	FOLDABLE	1196	3C MAXXTERRA	35	BLACK	3CT/EXO+/TR	E25
MINION DHF	M301	ETB96834000	29X3.00	76-622	31-53	120	FOLDABLE	1305	3C MAXXTERRA	30	BLACK	3CT/EXO/TR	E25
MINION DHR II	M327	ETB96909100	27.5X2.80	71-584	39-45	60	FOLDABLE	1110	DUAL	35	BLACK	EXO/TR	E25
MINION DHR II	M327	ETB96909000	27.5X2.80	71-584	25-43	120	FOLDABLE	1081	3C MAXXTERRA	35	BLACK	3CT/EXO/TR	E25
MINION DHR II	M327	ETB00113800	27.5X2.80	71-584	25-43	60	FOLDABLE	1196	3C MAXXTERRA	35	BLACK	3CT/EXO+/TR	E25
MINION DHR II	M327	ETB96835200	29X3.00	76-622	31-53	120	FOLDABLE	1305	3C MAXXTERRA	30	BLACK	3CT/EXO/TR	E25
HIGH ROLLER II	M325	ETB96910100	27.5X2.80	71-584	25-43	60	FOLDABLE	985	DUAL	35	BLACK	EXO/TR	E25
HIGH ROLLER II	M325	ETB96910000	27.5X2.80	71-584	25-43	120	FOLDABLE	936	3C MAXXTERRA	35	BLACK	3CT/EXO/TR	E25

TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE
DISSECTOR	M357RU	ETB00230900	27.5X2.40	61-584	21-35	60X2	FOLDABLE	1194	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
DISSECTOR	M357RU	ETB00241100	29X2.40	61-622	21-35	60X2	FOLDABLE	1274	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
MINION DHF	M301P	ETB50614000	24X2.40	61-507	21-35	60X2	WIRE	1189	3C MAXXGRIP	65	BLACK	3CG/DH	E25
MINION DHF	M301	ETB74265700	26X2.50	55-559	17-30	60X2	WIRE	1249	SINGLE	65	BLACK	DH	E25

TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH	E-BIKE
MINION DHF	M301	ETB74265000	26X2.50	55-559	17-30	60X2	WIRE	1249	SUPER TACKY	65	BLACK	ST/DH	E25
MINION DHF	M301P	ETB85976100	27.5X2.50	63-584	21-35	60X2	WIRE	1431	SUPER TACKY	50	BLACK	ST/DH	E25
MINION DHF	M301P	ETB85976000	27.5X2.50	63-584	21-35	60X2	WIRE	1462	3C MAXXGRIP	50	BLACK	3CG/DH	E25
MINION DHF	M301RU	ETB85975700	27.5X2.50	63-584	21-35	60X2	FOLDABLE	1335	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
MINION DHF	M301RU	ETB00435600	29X2.50	63-622	21-35	60X2	WIRE	1521	DUAL	50	BLACK	DH/TR/BikePark	E25
MINION DHF	M301RU	ETB96800700	29X2.50	63-622	21-35	60X2	FOLDABLE	1423	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
MINION DHR II	M327	ETB72907000	26X2.40	61-559	21-35	60X2	WIRE	1296	SINGLE	65	BLACK	DH	E25
MINION DHR II	M327	ETB72907200	26X2.40	61-559	21-35	60X2	WIRE	1301	SUPER TACKY	65	BLACK	ST/DH	E25
MINION DHR II	M327	ETB91051100	27.5X2.40	61-584	21-35	60X2	WIRE	1347	SUPER TACKY	65	BLACK	ST/DH	E25
MINION DHR II	M327RU	ETB85962700	27.5X2.40	61-584	21-35	60X2	FOLDABLE	1294	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
MINION DHR II	M327RU	ETB00518400	27.5X2.50	63-584	21-35	60X2	FOLDABLE	1306	3C MAXXTERRA	50	BLACK	3CT/DH/TR	E25
MINION DHR II	M327RU	ETB00551200	27.5X2.50	63-584	21-35	60X2	FOLDABLE	1327	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
MINION DHR II	M327RU	ETB00368500	29X2.40	61-622	21-35	60X2	WIRE	1462	DUAL	50	BLACK	DH/TR/BikePark	E25
MINION DHR II	M327RU	ETB96797500	29X2.40	61-622	21-35	60X2	FOLDABLE	1379	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
MINION DHR II	M327RU	ETB00517800	29X2.50	63-622	21-35	60X2	FOLDABLE	1392	3C MAXXTERRA	50	BLACK	3CT/DH/TR	E25
MINION DHR II	M327RU	ETB00550800	29X2.50	63-622	21-35	60X2	FOLDABLE	1415	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
HIGH ROLLER II	M325P	ETB74177600	26X2.40	61-559	21-35	60X2	WIRE	1301	SINGLE	65	BLACK	ST/DH	E25
ASSEGAI	M356RU	ETB00017200	27.5X2.50	63-584	21-35	60X2	FOLDABLE	1389	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
ASSEGAI	M356RU	ETB00435500	29X2.50	63-622	21-35	60X2	WIRE	1567	DUAL	50	BLACK	DH/TR/BikePark	E25
ASSEGAI	M356RU	ETB00064500	29X2.50	63-622	21-35	60X2	FOLDABLE	1480	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
SHORTY	M359RU	ETB00325000	27.5X2.40	61-584	21-35	60X2	FOLDABLE	1279	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
SHORTY	M359RU	ETB00265900	29X2.40	61-622	21-35	60X2	FOLDABLE	1363	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
WETSCREAM	M137RU	ETB00466700	27.5x2.50	55-584	17-30	60X2	FOLDABLE	1183	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25
WETSCREAM	M137RU	ETB00241500	29X2.50	55-622	17-30	60X2	FOLDABLE	1262	3C MAXXGRIP	50	BLACK	3CG/DH/TR	E25

BMX/TRIALS														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH		
DTH	M147	ETB20352000	20X1-1/8	28-451	15-23	120	WIRE	262	DUAL	85	BLACK	SILKWORM		
DTH	M147	ETB20629000	20X1-3/8	37-451	17-27	120	WIRE	350	DUAL	65	BLACK	SILKWORM		
DTH	M147	ETB00409700	20X1.50	38-406	17-27	120	WIRE	387	DUAL	110	BLACK	EXO		
DTH	M147	ETB00409800	20X1.75	44-406	17-27	120	WIRE	432	DUAL	110	BLACK	EXO		
DTH	M147	ETB00322200	20X1.75	44-406	17-27	120	FOLDABLE	374	DUAL	110	BLACK	EXO		
DTH	M147	ETB00322100	20X1.95	49-406	17-30	120	FOLDABLE	442	DUAL	110	BLACK	EXO		
DTH	M147	ETB00409900	20X2.20	56-406	17-30	120	WIRE	613	DUAL	110	BLACK	EXO		
DTH	M147	ETB00386000	20X2.20	56-406	17-30	120	FOLDABLE	556	DUAL	110	BLACK	EXO		
DTH	M147	ETB47649000	24X1.75	44-507	17-25	120	WIRE	478	DUAL	65	BLACK	SILKWORM		
DTH	M147P	ETB72683000	26X2.15	52/54-559	17-29	60	FOLDABLE	577	SINGLE	80	BLACK			
DTH	M147P	ETB00334100	26X2.15	52/54-559	17-29	60	FOLDABLE	627	SINGLE	80	TANWALL	EXO		
DTH	M147P	ETB73300000	26X2.30	55/58-559	17-29	60	WIRE	803	SINGLE	65	BLACK			
DTH	M147P	ETB00334500	26X2.30	55/58-559	17-29	60	WIRE	859	SINGLE	65	TANWALL	EXO		
DTH	M147P	ETB73301000	26X2.30	55/58-559	17-29	60	FOLDABLE	719	SINGLE	65	BLACK			
DTH	M147P	ETB00334400	26X2.30	55/58-559	17-29	60	FOLDABLE	773	SINGLE	65	TANWALL	EXO		
GRIFTER	M148	ETB00357000	20X1.85	48-406	17-30	120	FOLDABLE	423	DUAL	110	BLACK	EXO		
GRIFTER	M148	ETB00357300	20X2.10	53-406	17-30	60X2	WIRE	664	DUAL	110	BLACK			
GRIFTER	M148	ETB00357200	20X2.10	53-406	17-30	120	FOLDABLE	490	DUAL	110	BLACK	EXO		
GRIFTER	M148	ETB00357900	20X2.30	58-406	19-30	120	FOLDABLE	537	DUAL	110	BLACK	EXO		
GRIFTER	M148	ETB00360700	20X2.40	61-406	19-35	60X2	FOLDABLE	714	DUAL	110	BLACK			
GRIFTER	M148P	ETB96648000	29X2.00	50-622	17-27	60	WIRE	739	SINGLE	65	BLACK			
GRIFTER	M148P	ETB96648100	29X2.00	50-622	17-27	60	FOLDABLE	651	SINGLE	65	BLACK			
GRIFTER	M148P	ETB96802000	29X2.50	64-622	21-35	60	WIRE	905	SINGLE	65	BLACK			
GRIFTER	M148P	ETB00409500	29X2.50	64-622	21-35	60	WIRE	966	SINGLE	65	TANWALL	EXO		
TORCH	M149	ETB20354100	20X1-1/8	28-451	15-23	60	WIRE	296	DUAL	85	BLACK	SILKWORM		

BMX/TRIALS														
TREAD	MOLD #	PART #	SIZE	ETRTO	REC. RIM WIDTH (mm)	TPI	BEAD	WEIGHT (g)	COMPOUND	MAX PSI	COLOR	TECH		
TORCH	M149	ETB20626100	20X1-3/8	37-451	17-27	60	WIRE	349	DUAL	100	BLACK	SILKWORM		
TORCH	M149	ETB00356600	20X1.75	44-406	17-27	120	FOLDABLE	367	DUAL	110	BLACK	EXO		
TORCH	M149	ETB00357100	20X1.95	49-406	17-30	120	FOLDABLE	410	DUAL	110	BLACK	EXO		
TORCH	M149	ETB00357400	20X2.20	56-406	17-30	120	FOLDABLE	511	DUAL	110	BLACK	EXO		
TORCH	M149	ETB47641000	24X1.75	44-507	17-25	120	WIRE	464	DUAL	65	BLACK	SILKWORM		
TORCH	M149P	ETB96651100	29X2.10	53-622	17-29	60	FOLDABLE	660	SINGLE	65	BLACK			
TORCH	M149P	ETB96651200	29X2.10	53-622	17-29	120	FOLDABLE	646	SINGLE	65	BLACK	SILKWORM		
HOLY ROLLER	M126	ETB20628000	20X1-3/8	37-451	17-27	60	WIRE	343	SINGLE	65	BLACK	SILKWORM		
HOLY ROLLER	M126	ETB24748000	20X1.75	47-406	17-30	60	WIRE	422	SINGLE	60	BLACK			
HOLY ROLLER	M126	ETB29478000	20X1.95	53-406	17-30	60	WIRE	484	SINGLE	60	BLACK			
HOLY ROLLER	M126	ETB31020000	20X2.20	56-406	17-30	60	WIRE	562	SINGLE	60	BLACK			
HOLY ROLLER	M126	ETB49212000	24X1.85	50-507	17-27	60	WIRE	601	SINGLE	60	BLACK			
HOLY ROLLER	M126	ETB50611500	24X2.40	55-507	17-29	60	WIRE	757	SINGLE	65	BLACK			
HOLY ROLLER	M126	ETB72392000	26X2.20	52-559	17-30	60	WIRE	795	SINGLE	65	BLACK			
HOLY ROLLER	M126	ETB74180100	26X2.40	55-559	17-29	60	WIRE	850	SINGLE	65	BLACK			
HOOKWORM	M121	ETB29461000	20X1.95	53-406	17-30	60X2	WIRE	720	SINGLE	110	BLACK			
HOOKWORM	M121	ETB50650300	24X2.50	61-507	19-35	60	WIRE	966	SINGLE	65	BLACK			
HOOKWORM	M121	ETB74255100	26X2.50	63-559	19-35	60	WIRE	1076	SINGLE	65	BLACK			
HOOKWORM	M121	ETB00327100	27.5X2.50	63-584	19-35	60	WIRE	1114	SINGLE	65	BLACK			
HOOKWORM	M121	ETB96805000	29X2.50	63-622	19-35	60	WIRE	1185	SINGLE	65	BLACK			
CREEPY CRAWLER F	M143	ETB29688100	20X2.00	54-406	17-30	60	WIRE	590	SINGLE	50	BLACK	ST		
CREEPY CRAWLER R	M143	ETB35877000	20X2.50	67-387	25-43	27X2	WIRE	975	SINGLE	50	BLACK	ST		
MAXXDADDY	M110	ETB29682000	20X2.00	54-406	17-30	60	WIRE	535	SINGLE	40	BLACK			
M-TREAD	M141	ETB30696000	20X2.10	53-406	17-30	60X2	WIRE	829	SINGLE	110	BLACK			

TUBES						
PART #	SIZE	ETRTO	WEIGHT (g)	VALVE TYPE	NOTE	
EIB69886100	700X18/25C	18/25-622	51	FVSEP	FLYWEIGHT	
EIB69878200	700X18/25C	18/25-622	52	FVSEP48	FLYWEIGHT	
EIB75120000	27.5X1.9/2.125		103	FVSEP60	FLYWEIGHT	
EIB96845000	29X1.9/2.125		116	FVSEP	FLYWEIGHT	
EIB25400000	20X1.50/1.75		83	LSV	ULTRALIGHT	
EIB24078700	20X1.50/1.75		83	LFVSEP	ULTRALIGHT	
EIB29520000	20X1.90/2.125		96	LSV	ULTRALIGHT	
EIB29566100	20X1.90/2.125		96	LFVSEP	ULTRALIGHT	
EIB51596200	650X18/25C		69	FVSEP48	ULTRALIGHT	
EIB00100000	700X23/32C	23/32-622	75	FVSEP60	ULTRALIGHT	
EIB00136400	700X23/32C	23/32-622	76	FVSEP60	ULTRALIGHT	
EIB00141400	700x33/50	33/50-622	100	FVSEP48	ULTRALIGHT	
EIB00141500	700x33/50	33/50-622	101	LFVSEP60	ULTRALIGHT	
EIB14205000	16X1.90/2.125		97	LSV	WELTER WEIGHT	
EIB22992000	20X1-1/4X1-3/8		107	LSV	WELTER WEIGHT	
EIB22994000	20X1-1/4X1-3/8		107	LFVSEP	WELTER WEIGHT	
EIB00160700	20X1.0/1.5	25/40-406	74	LSV48	WELTER WEIGHT	
EIB00160900	20X1.0/1.5	25/40-406	72	LFVSEP48	WELTER WEIGHT	
EIB00160300	20X1.5/2.5	40/63-406	124	LSV48	WELTER WEIGHT	
EIB00160500	20X1.5/2.5	40/63-406	122	LFVSEP48	WELTER WEIGHT	
EIB00159500	24X1.5/2.5	40/63-507	151	LSV48	WELTER WEIGHT	
EIB00159700	24X1.5/2.5	40/63-507	148	LFVSEP48	WELTER WEIGHT	
EIB00159900	24X2.0/3.0	50/76-507	200	LSV48	WELTER WEIGHT	
EIB00160100	24X2.0/3.0	50/76-507	199	LFVSEP48	WELTER WEIGHT	

TUBES						
PART #	SIZE	ETRTO	WEIGHT (g)	VALVE TYPE	NOTE	
EIB51709100	26X1.0/1.25		87	FVSEP48	WELTER WEIGHT	
EIB00137000	26X1.50/2.50	40/63-559	162	LFVSEP48	WELTER WEIGHT	
EIB63464300	26X1.90/2.125		163	FVSEP60	WELTER WEIGHT	
EIB00137100	26X1.50/2.50	40/63-559	165	LSV48	WELTER WEIGHT	
EIB75071100	27.5X1.5/1.75		144	SV	WELTER WEIGHT	
EIB75071200	27.5X1.5/1.75		147	SV48	WELTER WEIGHT	
EIB75081700	27.5X1.5/1.75		143	FVSEP	WELTER WEIGHT	
EIB75081400	27.5X1.5/1.75		144	FVSEP48	WELTER WEIGHT	
EIB00139800	27.5X1.75/2.4	44/61-584	188	LFVSEP48	WELTER WEIGHT	
EIB00139900	27.5X1.75/2.4	44/61-584	190	LSV48	WELTER WEIGHT	
EIB00140000	27.5X2.0/3.0	50/76-584	225	LFVSEP48	WELTER WEIGHT	
EIB00140100	27.5X2.0/3.0	50/76-584	225	LSV48	WELTER WEIGHT	
EIB00140600	29X1.75/2.4	44/61-622	200	LFVSEP48	WELTER WEIGHT	
EIB00140700	29X1.75/2.4	44/61-622		LSV48	WELTER WEIGHT	
EIB00140800	29X2.0/3.0	50/76-622	239	LFVSEP48	WELTER WEIGHT	
EIB00140900	29X2.0/3.0	50/76-622	239	LSV48	WELTER WEIGHT	
EIB00099900	700X23/32C	23/32-622	95	LFVSEP48	WELTER WEIGHT	
EIB00136200	700X23/32C	23/32-622	96	LFVSEP60	WELTER WEIGHT	
EIB00136300	700X23/32C	23/32-622	97	LFVSEP80	WELTER WEIGHT	
EIB81559000	700X18/25, 27X7/8-1		86	SV48	WELTER WEIGHT	
EIB00137300	700x33/50	33/50-622	128	LFVSEP48	WELTER WEIGHT	
EIB00137400	700x33/50	33/50-622	129	FVSEP60	WELTER WEIGHT	

TUBES						
PART #	SIZE	ETRTO	WEIGHT (g)	VALVE TYPE	NOTE	
EIB00137200	700x33/50	33/50-622	130	LSV48	WELTER WEIGHT	
EIB67445000	26X2.20/2.50	50/76-622	309	SV	FREEERIDE	
EIB67445600	26X2.20/2.50		312	SV48	FREEERIDE	
EIB67446800	26X2.20/2.50		309	FVSEP	FREEERIDE	
EIB67447400	26X2.20/2.50		310	FVSEP48	FREEERIDE	
EIB75102000	27.5X2.2/2.5		326	SV	FREEERIDE	
EIB75105100	27.5X2.2/2.5		326	FVSEP	FREEERIDE	
EIB75109100	27.5X2.2/2.5		327	FVSEP48	FREEERIDE	
EIB00095200	29X2.2/2.5		347	SV	FREEERIDE	
EIB00095100	29X2.2/2.5		347	FVSEP	FREEERIDE	
EIB00095000	29X2.2/2.5		348	FVSEP48	FREEERIDE	
EIB49959900	24X2.50/2.70		423	FVSEP	DOWNHILL	
EIB49963000	24X2.50/2.70		423	SV	DOWNHILL	
EIB68560100	26X2.50/2.70		460	FVSEP	DOWNHILL	
EIB68566000	26X2.50/2.70		460	SV	DOWNHILL	
EIB68562200	26X2.50/2.70		461	FVSEP48	DOWNHILL	
EIB00097400	29X2.2/2.5		433	SV	DOWNHILL	
EIB00097600	29X2.2/2.5		434	FVSEP48	DOWNHILL	
EIB00141200	26X3.0/5.0	76/127-559	431	LFVSEP48	FAT/PLUS	
EIB00141300	26X3.0/5.0	76/127-559	431	LSV48	FAT/PLUS	
EIB75507000	27.5X2.5/3.0		503	FVSEP	FAT/PLUS	
EIB00140200	27.5X3.0/5.0	76/127-584	440	LFVSEP48	FAT/PLUS	
EIB00140300	27.5X3.0/5.0	76/127-584	440	LSV48	FAT/PLUS	



TIRE SAFETY

- CONSULT YOUR OWNER'S MANUAL FOR SPECIFIC TIRE INFORMATION.
- CLEARANCE AROUND TIRES MUST BE MAINTAINED. INCREASED TIRE SIZE MAY REQUIRE AN INCREASED RIM WIDTH.
- INSPECT TIRES CLOSELY FOR SUFFICIENT CLEARANCE.
- ALWAYS WEAR PROTECTIVE EYEWEAR WHEN INSTALLING INNER TUBES OR TIRES.
- WHEN REPLACING TIRES, BE SURE TO ALSO REPLACE THE INNER TUBES. STRETCHED INNER TUBES CAN CREASE AND FAIL DUE TO THINNING OF THE INNER TUBE RUBBER.
- CONSULT YOUR BICYCLE PROFESSIONAL FOR CORRECT RIM STRIP REPLACEMENT.
- MAKE SURE YOUR TUBE SIZE MARKINGS MATCH THE TIRE SIZE.
- USE TIRE ONLY FOR DESIGNATED TERRAIN, ON AN APPROPRIATE BICYCLE AND USING PROPER SAFETY EQUIPMENT AT ALL TIMES.
- FOLLOW TIRE PRESSURE GUIDELINES LOCATED ON YOUR TIRE.
- CHECK TIRE PRESSURE BEFORE EVERY RIDE.
- CHECK YOUR VALVE CORES FOR DAMAGE. IF VALVE CORES ARE DAMAGED, REPLACE THEM.
- CHECK YOUR TIRES FOR DAMAGE BEFORE AND AFTER RIDING. PUNCTURED, CRACKED, BULGING OR BLISTERED TIRES SHOULD BE REPLACED IMMEDIATELY. IF DAMAGED TIRES ARE NOT REPLACED, SUDDEN AND COMPLETE TIRE FAILURE CAN OCCUR.
- CHECK TO ENSURE THAT THE BEADS OF THE TIRES ARE FULLY AND EVENLY SEATED AROUND THE ENTIRE CIRCUMFERENCE OF THE RIMS BEFORE EVERY RIDE.
- AFTER REPLACING WORN TIRES, TAKE TIME TO BECOME ACQUAINTED WITH THE HANDLING AND PERFORMANCE OF YOUR NEW TIRES.
- DO NOT CUT, SIBE OR OTHERWISE MODIFY YOUR TIRES.
- CHECK FOR BROKEN OR DAMAGED SPOKES AND REPLACE AS NECESSARY.
- REPLACE BENT OR DAMAGED RIMS OR WHEELS IMMEDIATELY.
- LIQUID SEALANTS SHOULD ONLY BE USED IN THE FOLLOWING TYPES OF TIRES: TUBELESS ROAD, TUBULAR AND TUBELESS-READY. THE USE OF LIQUID SEALANTS IN ANY OTHER MAXXIS TIRE WILL VOID THE WARRANTY.
- TUBE-TYPE TIRES SHOULD ONLY BE USED IN CONJUNCTION WITH AN INNER TUBE ON AN APPROVED RIM.
- DO NOT STORE TIRES IN DIRECT SUNLIGHT FOR EXTENDED PERIODS OF TIME.
- ALLOWING TIRES TO STAND IN OIL, GASOLINE OR OTHER CHEMICALS MAY HAVE AN ADVERSE EFFECT ON THE RUBBER COMPOUNDS OF THE TIRE.
- FAILURE TO FOLLOW THESE GUIDELINES CAN RESULT IN ACCELERATED TREAD WEAR AND MAY CAUSE CATASTROPHIC TIRE FAILURE.



MAXXIS
MAXXIS.COM

